

# PASPCR

June 2004  
Vol. 12 Number 2

## Newsletter



### Introduction...

by **Bill Oetting**

#### NOTICE - 3, 2, 1 - go

Only 3 more issues of the Bibliography of the *PASPCR Newsletter* remain - **UNLESS** - we can enlist the help of someone to take over. If you have a subscription to Current Contents (or any other literature awareness service), you could do this in just 1-2 hours every 3 months. The current PASPCR Bibliographer, after 11 years, has decided that other more pressing issues, such as organizing the IPCC in 2005, will consume too much of his time, and this literature search will end unless a volunteer steps forth to take it over. We would be happy to provide you with the searching keywords and algorithms used to generate the different categories of references listed in the PASPCR Bibliography. Want the adulation of your peers for years to come? Contact Bill Oetting or Vince Hearing.

The *PASPCR Newsletter* is published quarterly and is intended to serve as a means of communication for the members of our Society. You are invited to contribute articles, or other information you feel will be of interest to members of the **PASPCR**. If you attend a scientific meeting and have heard results which you think will be of interest to the membership of the PASPCR, please write a few paragraphs summarizing what was presented and share it with us. Any information on upcoming meetings of interest will be added to the "Calendar of Events". This is your newsletter, and we depend upon you to help us make sure it best serves the Society's needs. Contributions and comments can be sent to me, preferably by E-mail, to [bill@lenti.med.umn.edu](mailto:bill@lenti.med.umn.edu).

The PASPCR Web Site can be found at:

<http://paspcr.org>

The PASPCR Web Site is the major, up-to-date source of current information for the PASPCR membership and for individuals who are interested in the PASPCR. If there is additional information that you would like to see on the Web site, or you would like to include information of past PASPCR activities, please let me know and I will add them.

#### New Internet Addresses

The web server for the PASPCR and IFPCS websites has been changed. The direct internet address for the PASPCR website is now [paspcr.med.umn.edu](http://paspcr.med.umn.edu) and the address for the IFPCS web site is now [ifpcs.med.umn.edu](http://ifpcs.med.umn.edu). Of course, **[paspcr.org](http://paspcr.org)** and **[ifpcs.org](http://ifpcs.org)** will take you directly to the home page for each.

The domain name **[ipcc.info](http://ipcc.info)** will take you to the IPCC web site, providing you the most up to date information on the International Pigment Cell Conference, which will be held on September 18 - 22, 2005 at the Hyatt Regency Hotel in Reston, VA. Information includes preliminary program information and a list of invited speakers.

#### In this Issue . . . . .

PASPCR Officers.....	2
Calendar of Events.....	2
Corporate Sponsors.....	3
New PASPCR Members.....	3
New Editor for Pigment Cell Research.....	3
Research in the PASPCR.....	4
Bryan Fuller	
The Rest of the Story.....	5
Coat Colors of Mice on the Web	
ESPCR Poster Award.....	6
Developmental Biology IG Report.....	6
Positions Wanted/Available.....	9
Bibliography.....	11

## The PanAmerican Society for Pigment Cell Research

C/O Dr. Raymond E. Boissy  
Department of Dermatology  
University of Cincinnati  
231 Bethesda Avenue  
Cincinnati, OH 45267-0592

### Officers:

Zalfa Abdel-Malek,  
*President*  
John Pawelek  
*President-elect*  
Raymond E. Boissy  
*Secretary/Treasurer*

### Council Members:

Gisella Erf  
Bryan Fuller  
Ruth Halaban  
Thomas J. Hornyak  
Manickam Sugumaran  
Brian Potterf  
Glynis Scott  
Miri Seiberg  
Richard Swank

### IFPCS Representative:

Richard A. King  
*past-President PASPCR*

## Calendar of Events:

- June 24-27, 2004** XII<sup>th</sup> Meeting of the PanAmerican Society for Pigment Cell Research, to be held in Irvine, California.  
**Contact:** Frank Myskins.  
E-mail: flmeyske@uci.edu  
Web: www.paspcr.org
- July 22-24, 2004** International Skin Cancer Conference, Zurich, CH  
President: Günter Burg  
**Contact:** Reinhard Dummer  
Phone: +41 1 255 88 37  
Fax: +41 1 255 44 03  
E-mail: nicole.brunner@usz.ch  
Web: www.skincancer.ch
- Sept 22-25, 2004** XII<sup>th</sup> Meeting of the European Society for Pigment Cell Research, to be held in Paris, France.  
**Contact:** Dr. Lionel LaRue  
E-mail: Lionel.Larue@curie.fr  
Web: http://espcr2004.curie.fr/
- Nov 27-28, 2004** The 18th Annual Meeting of the Japanese Society for Pigment Cell Research, to be held in Kumamoto City, Japan.  
Contact: Dr. Toshiro Kageshita  
E-mail: toshiro@kaiju.medic.kumamoto-u.ac.jp
- Sept 18-22, 2005** XIV<sup>th</sup> International Pigment Cell Conference (IPCC), to be held near Washington DC, USA.  
**Contact:** Dr. Vince. Hearing  
E-mail: hearingv@nih.gov  
Web: www.ipcc.info

If you know of future meetings that you feel would be of interest to the PASPCR membership, please let us know.

The *PASPCR Newsletter* is published quarterly by the PanAmerican Society for Pigment Cell Research. All views are those of the authors. For further information or to submit articles, please contact members of the Publications Committee.

### Publications Committee:

#### William S. Oetting, Ph.D. Editor

University of Minnesota  
Department of Medicine- Genetics  
MMC 485  
420 Delaware St. SE  
Minneapolis, MN 55455  
(612) 624-1139  
bill@lenti.med.umn.edu

#### Manickam Sugumaran, Ph.D.

Univ of Massachusetts at Boston  
Department of Biology  
100 Marrissey Boulevard  
Boston, MA 02125  
(617) 287-6600  
manickam.sugumaran@umb.edu

#### Richard T. Swank, Ph.D.

Roswell Park Cancer Institute  
Department of Molecular & Cell Biology  
Elm and Carlton Streets  
Buffalo, NY 14263  
(716) 845-3429  
richard.swank@roswellpark.edu

---

## **Corporate Sponsors** *by Raymond E. Boissy*

The PASPCR would like to acknowledge and thank our Corporate Sponsors; the list below reflects contributions over the past 2 years. Financial gifts from these sponsors have allowed our Society to increase benefits to the membership far out of proportion to the actual dues collected from members. Monies contributed by these sponsors have been used over the years to support various PASPCR functions including our Young Investigator Award program, meeting travel stipends, annual meeting expenses and this Newsletter.

***GOLD Corporate Patrons***  
Procter and Gamble Co.  
Shiseido Co, Ltd.  
Combe, Inc.

***SILVER Corporate Patrons***  
Avon Products, Inc.  
Galderma Laboratories, Inc  
Stiefel Laboratories

---

## **New Members** *by Raymond E. Boissy*

The PASPCR would like to welcome these new members to the society:

<b>Andrew Aplin</b>	Albany Medical College
<b>Sreenivasulu Chintala</b>	Roswell Park Cancer Institute
<b>Aea Kyung Enu</b>	Seoul, Korea
<b>Esther Guzmán</b>	Henry Ford Hospital
<b>Jennifer Hauser</b>	University of Cincinnati College of Medicine
<b>Ernest Hixon</b>	University of Maryland
<b>Becky Lockhart</b>	University of Arkansas
<b>Michael Pratt</b>	Pfizer
<b>Kang Sangjin</b>	Household & Healthcare Research Park, Korea
<b>Susan Taylor</b>	Columbia University
<b>Dilshika Wijesekera</b>	University of Arkansas
<b>Sun Yang</b>	University of California- Irvine Medical Center

## **New Editor for *Pigment Cell Research*** *by Vince Hearing*

*Pigment Cell Research* is pleased to introduce Prof. Colin R. Goding as its Editor as of Jan 1, 2005. The transition to the new Editorial Office in the UK will occur over the remainder of this year.

As of June 1, 2004, all new manuscripts should be submitted directly to Prof. Goding at the email address noted below.

All manuscripts currently in review or in revision will continue to be handled in my office.

Submit articles to:

**Prof. Colin R. Goding**  
Pigment Cell Research Editorial Office  
Marie Curie Research Institute  
The Chart, Oxted  
Surrey, RH8 0TL, UK  
email: pcreditor@mcri.ac.uk

I look forward to the continued growth of the journal under Prof. Goding's direction,

*Vince Hearing*

---

## **We are looking for:**

items to include in the *PASPCR Newsletter*. Please send in information that you have on:

Meetings of interest  
Reports on meetings you have attended  
News about PASPCR members  
Short stories  
Interesting graphics

or anything else you think that the PASPCR membership would be interested in reading. Please email your contributions to [bill@lenti.med.umn.edu](mailto:bill@lenti.med.umn.edu).

Thanks!

## Research in the PASPCR

In this section we will highlight the major research focus of laboratories of PASPCR members. Our hope is that this information will be useful to all within the PASPCR by presenting the major research project in our laboratories and possibly opening doors for collaboration. In this issue, **Bryan Fuller** describes some of the projects in his laboratory.

---

### Understanding the Regulation of Tyrosinase in Human Melanocytes

Research efforts in my laboratory have, for several years, focused on elucidating the biochemical mechanisms which control melanin production in human melanocytes. More specifically, our studies have been directed toward identifying the molecular events which are responsible for differences in pigmentation in Black and White skin. Our research has led to the following discoveries: 1) although tyrosinase activity in the melanocytes of Black-skinned people is 10 times higher than that measured in White skinned individuals, the abundance of tyrosinase mRNA and tyrosinase protein is the same, 2) the mRNAs of tyrosinase from Black and White melanocytes are identical in sequence, 3) the catalytic activity of tyrosinase in White but NOT Black melanocytes can be markedly increased by treating melanocytes in culture with weak bases, such as ammonium chloride, or with ion gradient disrupters such as monensin or nigericin, 4) the catalytic activity of tyrosinase in White but NOT Black melanocytes rapidly increases upon treatment with bafilomycin, an inhibitor of V-ATPase, the enzyme responsible for organelle acidification, and 5) the pH within melanosomes of White melanocytes is acidic and inactivates tyrosinase, while the pH in melanosomes of Black melanocytes is more neutral, which favors high tyrosinase activity. Our conclusion from these results is that the activity of tyrosinase in melanocytes from different racial skin types is controlled primarily by the pH environment of the melanosome and that some hydrogen ion exchanger which controls the efflux of H<sup>+</sup> ions and therefore regulates intraorganelle pH must be differentially expressed in Black and White melanocytes. In a new article in *Experimental Cell Research* (in press) we

report on immunohistochemistry and co-localization studies which reveal that melanosomes of both Black and White melanocytes contain a V-ATPase, a finding which suggests that melanosomes from both racial skin types are capable of being acidified. In this paper we also show that at least 5 sodium hydrogen exchangers (NHEs) are expressed in human melanocytes. Further, treatment of melanocytes with the NHE inhibitor amiloride causes a rapid loss in tyrosinase activity in Black but NOT White melanocytes. This suggests that the melanosome membrane in Black melanocytes likely contains an amiloride sensitive NHE that is responsible for extruding the hydrogen ions pumped into the organelle by V-ATPase. By removing intramelanosome hydrogen ions, the NHE produces a more neutral pH which is optimal for tyrosinase activity. Because of the absence of amiloride sensitivity in White melanocytes, it seems likely that the amiloride sensitive form of NHE present in Black melanosomes is either absent or inactive in White melanosomes. Finally, we report that at least one NHE isoform, NHE-7 is found in melanosomes of Black melanocytes suggesting a possible role for this exchanger in reducing the concentration of hydrogen ions within the organelle.

In addition to our studies concerned with the molecular basis for differences in racial skin color, we have focused our research efforts toward determining the biochemical mechanisms responsible for the forskolin/ cAMP induced increase in tyrosinase activity in human melanocytes. Unlike mouse melanocytes or mouse melanoma cells, we have found that the tyrosinase gene is NOT induced by cAMP in human melanocytes. The tyrosinase gene is constitutively active in most human melanocyte cell strains, with the possible exception of melanocytes derived from red-haired individuals where tyrosinase gene activity is low. Although treatment of human melanocytes for 72 hours with either forskolin or IBMX can lead to a 15 fold increase in tyrosinase activity, the abundance of tyrosinase mRNA and protein does not increase. However, as reported by others, the level of phosphorylated MITF does increase in cells treated with either of these compounds. Our research suggests that the cAMP induced increase in tyrosinase activity does require gene transcription and efforts are underway to identify the gene or genes which are activated through a cAMP mediated signaling pathway.

## The Rest of the Story

In a past issue of the PASPCR Newsletter (March, 2001), we included an article by Dr. Willys Silvers on how he became involved in writing his book, *The Coat Colors of Mice*. Now, a digital copy of his book has been included with the Mouse Genome Informatics (MGI) database at The Jackson Laboratory. Paul Szauter is responsible for text entry, graphics, and HTML adaptation. Here is his story about how *The Coat Colors of Mice* ended up on the web.

---

### Online Version of The Coat Colors of Mice at MGI

By Paul Szauter

Mouse Genome Informatics, The Jackson Laboratory

Mouse Genome Informatics (MGI) has recently released an online version of *The Coat Colors of Mice* by Willys K. Silvers. The entire text of the book, including all tables, figures, and references, is available at: <http://www.informatics.jax.org/wksilvers/>

This project grew from an attempt to “do something” about coat colors at MGI. Our database has a number of tools for retrieving genes and alleles by phenotypes. These include 1) searches using a controlled vocabulary of phenotype terms, 2) searches of text fields in the Mouse Locus Catalog, OMIM, and the notes field of Allele Detail Pages, and 3) searches of text fields in a set of strain descriptions. Unfortunately, none of these tools does full justice to the complex phenotype of coat color, which involves the interaction of different alleles at many different genes. The very things that make the study of the genetics of coat color so interesting (allelic series, gene interaction, and epistasis) seem to thwart our attempts to represent this phenotype in a database in a way that is friendly to biologists.

The best way to gain an understanding of coat color is to read a comprehensive review by an expert. There is no resource quite like *The Coat Colors of Mice* by Willys K. Silvers, published in 1979. This book has long been out of print, and copies at The Jackson Laboratory regularly go missing from the library or the offices of individual researchers. We were able to obtain Dr. Silvers’ permission to create an online version

of the book, and began to work on the project about a year before its release.

Much has been learned since 1979, and the molecular nature of the products of many coat color genes is now known. We decided to incorporate this information into the online version not by writing additional text, which would require both comprehensive expertise on the subject and regular maintenance, but by linking to dynamic data at MGI and NCBI. Links to MGI Gene and Allele Detail Pages are embedded in the text. These links take the user to pages that provide map positions, information on orthologous genes in other mammals, DNA and protein sequences, references, and other information. The text also contains links to pages listing all currently known alleles of each gene described in the book. The references cited in the text are linked to references in MGI or PubMed. The user can discover more recent publications on the same subject using MGI’s references or PubMed’s “Related Articles” search.

To provide an overview, we created a table listing all of the genes discussed in the text, with links to the relevant parts of the text, as well as to Gene Detail and Allele Summary Pages at MGI. At the top of this table is a link allowing the user to retrieve all genes with one or more alleles currently known to affect coat color at MGI. This table, referred to by the project team as the “Rosetta Stone Table,” can be seen at: <http://www.informatics.jax.org/wksilvers/frames/frameRST.shtml>

There is a User’s Guide at:

<http://www.informatics.jax.org/wksilvers/userguide.shtml>

In a sense, this book grows every day as additional information is added to MGI, PubMed, and other databases. We are currently working on second release of the book that will contain the massive subject index, with links to the relevant parts of the text.

It has been very rewarding to be a part of this project, which seeks to combine Dr. Silvers’ expert insights into the biology of mouse coat color with the latest tools in bioinformatics. We welcome your comments and suggestions at MGI User Support ([mgi-help@informatics.jax.org](mailto:mgi-help@informatics.jax.org)).



The Va/+ mouse

Image from the Coat Colors web site, courtesy of Paul Szauter, The Jackson Laboratories

### Va, varint-waddler (**mucolipin 3, Mcoln3**)

Heterozygotes show normal/diluted/white hair patches, circling, hyperactivity, deafness, and reduced fertility. Homozygotes are white with small patches of color and show severe behavioral abnormalities, poor postnatal viability and are nearly infertile.

*From the MGI database*

---

### 12<sup>th</sup> European Society for Pigment Cell Research – Paris – Septembre 2004

Dear Fellow Members,

The organizers of the upcoming 12<sup>th</sup> *European Society for Pigment Cell Research* have decided to give an award to the best poster presented over the Meeting.

While reading the presentations the jury will take several criteria into consideration including scientific quality, iconography and answers to questions formulated by the members of a nominated jury to be able and select the winning communication.

The award will consist in a French surprize and a free registration for the 19<sup>th</sup> *International Pigment Cell Conference* to be held in **Reston, Va.** From **September 18<sup>th</sup>** through **22<sup>nd</sup>, 2005.** ([www.palladianpartners.com/IPCC05](http://www.palladianpartners.com/IPCC05))

We wish you luck and look forward to meeting you in Paris.

Best regards,  
**Dr. Lionel LARUE**  
Institut Curie

### Mouse News

*by Lynn Lamoreux*

A glance at the report of the meeting of the developmental biology interest group of the IFPCC, held last month at NIH, is enough to convince the most reluctant reader that the laboratory mouse model has come of age – for many reasons and many applications. For some of these applications it makes little difference whether or not the mice are inbred or congenic with models used by other investigators. In other instances, our work will be very much more fruitful if we each use the same mouse – same at all loci – to ask different questions of the same locus. Some of the reasons are presented below.

Those of us who heard Heinz Arnheiter's vision of our work, ultimately to understand how the genomes function within their environment and over evolutionary time, may find some similar thoughts below.

LL

---

### THE UNITARY MOUSE MODEL

*by M. Lynn Lamoreux*

The mouse model, of course, can be used to study biological phenomena at all levels of organization from the molecular to the organismal. Our *Unitary Mouse Model* of pigmentation consists of all the available *inbred* mice mutant at loci that affect mouse pigmentation, put to their effective use by the us – the community of scientists. These mice can be obtained from certain individuals, from Mouse Mutant Research Resources (MMRRC), where my colony is now preserved, and of course from The Jackson Laboratory (JAX). I am preparing a CD that will consist of a searchable database of photographs, phenotypes and location or source of individual genotypes of mice –it will be essentially a summary of the unitary model. An interim, or draft, CD, not quite complete and not yet searchable is available.

*(Continued next page)*

The uses of the *Unitary Model* include the following.

#### Study of a Gene and its Functions

The availability of the model means that you can evaluate, for example, the *himalayan (Tase)* DNA; while your colleague in Japan may be more interested in the cellular level of function, the melanocyte; a colleague at NIH might prefer to study the same mutant gene at the level of the organ, perhaps development of the eye; while I will prefer to relate all these observations to the overall organismal phenotype

The laboratory mouse is the model of first choice for most purposes, primarily because it is available inbred.

This means that you and I and our colleagues at NIH and Japan and elsewhere, if we work with mice that are genetically the same as each other, can confidently compare our results at all of the levels of organization from the molecular through the organismal because we will all be working with the same gene within the same background genome.

When we wish to learn more about the *Tyrosinase* gene, again at the multiple levels of organization, there are some types of modifications of that gene that we can create. NIH has recognized C57BL/6J as an inbred background that is suggested for such creations, so that they can be used as described. Modifications that we can not create may be found in the *series of natural mutations that are also available on the same genetic background*. One example is found in Reference #1. Another example is found in reference #2 (using C57BL/10 in part because some alleles differ on that background).

#### Study the Effect of Background Genome upon the Functions of a Gene

The same mutant gene can be studied congenic with different inbred strains. For example, it would be useful to know why the JU strain background (compared with C57BL/6J) decreases both yellowness and obesity in mice that are yellow because

of mutation at the *agouti* locus. Similar questions relate to the patterns of migration and survival of melanocytes during embryogenesis in white-spotted mice (see picture at the end of the article). One example of this application of the model is found in reference #3 (using C57BL/6J inbred mice contrasted with JU/CtLm inbred mice carrying the identical mutant gene).

#### Climbing up the Ladder of Organismal Complexity (cell, tissue, organ, organism)

Certainly the the higher levels of organismal function require genic interaction in vivo; it is already clear that genic interactions can be unpredictable and may represent more than the sum of their components. Therefore, *congenic combinations of mutants* will be essential to evaluation of higher levels of biological organization. A good example of genic interaction can be seen in the interactions of *silver (si)* and alleles at the *brown (Tyrp1)* locus, whose phenotype on a C57BL/6J background is strikingly different from that published in the literature.

For study of genic interaction, multiple mutant combinations can be created using congenic mice, in order to make direct comparisons of specific phenomena (Reference #4, for example).

Panels of mice can be created that represent every possible combination of two mutant loci and their normal counterparts. If the mice are congenic, the resulting data can be confidently attributed to actions and interactions related to the specific loci that differ. For a real example, it was noted that mice that are *brown (Tyrp1<sup>b</sup>/Tyrp1<sup>b</sup>)* and chinchilla (*Tyr<sup>c-ch</sup>/Tyr<sup>c-ch</sup>*) are the same pigment phenotpe as mice that are *brown* but not mutant at the *Tyr* locus, suggesting an interesting genic interaction. Primary melanocyte cultures were created using congenic mice with various combinations of alleles at these two loci and the cells were used to evaluate their interactions in normal cellular function. (References #5, #6, #7 and #8 report examples of this type of research).

Congenic immortalized cell lines are also readily available to the scientific community and have been

widely used (reference #9). Wellcome Trust Functional Genomics Cell Bank <http://www.sghms.ac.uk/depts/anatomy/pages/WTFGCB.htm>

### Climbing Down the Ladder of Evolution

As implied by the mammals above, mutants can also be used for interspecific comparative genetics. In these cases congenesis is not an option.

### References Cited

1. Townsend, D., C.J. Witkop, Jr., and J. Mattson. 1981. Tyrosinase subcellular distribution and kinetic parameters in wild type and c-locus mutant C57BL/6J mice. *J. Exp. Zool.*, 21:113-119.
2. Hirobe, T. 1992. Control of melanocyte proliferation and differentiation in the mouse epidermis. *Pigment Cell Res.*, 5:1-11.
3. Lamoreux, M. Lynn. 1999. Strain-specific white-spotting patterns in laboratory mice. *Pigment Cell Res.*, 12:383-390.
4. Lamoreux, M. Lynn. 2001. Interaction of major coat color gene functions in mice as studied by chemical analysis of eumelanin and pheomelanin. *Pigment Cell Res.*, 14:23-31.
5. Sarangarajan, Rangaprasad, Yang Zhao, George Babcock, James Cornelius, M. Lynn Lamoreux and Raymond E. Boissy. 2000. Mutant alleles at the *brown* locus encoding tyrosinase-related protein-1 (TRP-1) affect proliferation of mouse melanocytes in culture. *Pigment Cell Res.*, 13:337-344.
6. Manga P, Sato K, Ye L, Beermann F, Lamoreux ML, Orlow SJ. 2000. Mutational analysis of the modulation of tyrosinase by tyrosinase-related proteins 1 and 2 in vitro. *Pigment Cell Res.* 13:364-74.
7. Lamoreux, M. Lynn and Phil Pendergast. 1987. Genetic controls over melanocyte differentiation: interaction of *agouti*-locus and *albino*-locus genetic defects. *J. Exp. Zool.*, 243:71-79.
8. Costin, Gertrude-E, Julio C. Valencia, Wilfred D. Vieira, M. Lynn Lamoreux and Vincent J. Hearing. 2003. Tyrosinase processing and intracellular trafficking is disrupted in mouse primary melanocytes carrying the *underwhite* (*uw*) mutation. A model for oculocutaneous albinism (OCA) type 4. *J. Cell Science*, 116:3203-3212.

Wellcome Trust Functional Genomics Cell Bank  
<http://www.sghms.ac.uk/depts/anatomy/pages/WTFGCB.htm>

<http://WWW.MMRRC.org>

This colony of mice would not have survived were it not for much support.

With thanks to:

Dr. Seth Orlow  
Dr. Ray Boissy  
Dr. Vince Hearing  
Dr. Dot Bennett  
Dr. Rick Ermel  
Dr. Jim Womack

PASPCR  
and the entire pigment cell community





### Positions - Wanted and Available

Postings for **Positions Available** will be open to all individuals and institutions so long as the position is related to pigment cell research. Postings for **Positions Wanted** will be open only to members of the PanAmerican Society for Pigment Cell Research or its sister societies (JSPCR and ESPCR). Send postings to Bill Oetting at [bill@lenti.med.umn.edu](mailto:bill@lenti.med.umn.edu). Please provide an expiration date for any submitted postings. Final decisions will be made by the Publications Committee of the PASPCR.

### Postdoctoral position

A postdoctoral position available in the laboratory of Dr. Andrew Aplin in the Center for Cell Biology and Cancer Research at Albany Medical College, NY. Research will focus on the critical signaling proteins involved in anchorage-dependent cell growth of melanocytes and that may be aberrantly regulated in melanoma cells. Further details and recent publications can be obtained at <http://www.amc.edu/academic/research/CBCResearcher.cfm?ID=170>

Albany Medical College is located in the scenic Hudson River Valley, offering affordable housing, easy commutes and quick access to cultural (e.g., Saratoga, 45 min; Tanglewood, 1 hr), and outdoor activities (Adirondack State Park, 2 hr).

Candidates with a recent PhD or MD/PhD with a strong background in molecular and cellular biology are encouraged to apply. Excellent financial compensation and benefits are provided. Please submit a resume and the names of references to:

Andrew E. Aplin, Ph.D.  
Center for Cell Biology & Cancer Research  
Albany Medical College,  
47 New Scotland Avenue  
Albany, NY 12208  
Email: [aplina@mail.amc.edu](mailto:aplina@mail.amc.edu)

The Albany Medical College is an equal opportunity,  
Affirmative Action Employer

### Postdoctoral Associate Position

A postdoctoral research position is available for work on the development of melanocytes and their malignant progression to cutaneous metastatic melanomas in this laboratory's melanoma-susceptible transgenic mouse model. The basis for newly recognized phenomena will be investigated in the areas of apoptosis, imprinting, hypoxia-inducible gene expression, and cell migration. Some of the results are expected to provide a basis for novel experimental treatments of mice with malignant melanoma. A recent Ph.D. or M.D./Ph.D. degree is required, with strong specialization in molecular and cell biology. Please send a C.V., summaries of publications, and names of three references to:

Dr. Beatrice Mintz  
Fox Chase Cancer Center  
7701 Burholme Avenue  
Philadelphia, PA 19111 USA  
FAX: (215) 728-3574  
E-mail: [beatrice.mintz@fcc.edu](mailto:beatrice.mintz@fcc.edu)

### Department of Dermatology Chair

The University of California, Irvine, College of Medicine seeks candidates for the position of Chair, Department of Dermatology. The candidate must be an accomplished investigator, clinician and teacher, eligible for appointment at the level of associate professor or professor, with leadership skills appropriate for a major university department. Send CV, plus names and addresses of at least three references to:

Frank L. Meyskens, Jr., M.D.  
Chair, Dermatology Search Committee  
c/o Kit Scott  
UCI College of Medicine  
Dean's Office  
246 Irvine Hall  
Irvine, CA 92697-3950

The University of California is an Equal Opportunity  
Employer committed to excellence through diversity.

**Postdoctoral Position**

A Postdoctoral Position is available to study the role of UV radiation in the development of primary melanoma. The project will use transgenic and pigment cell mutant mice and cell cultures to study molecular mechanisms of melanoma initiation and progression. A strong background in pigment cell biology, cellular mechanisms of toxicology, carcinogenesis, or molecular biology is desired. Send curriculum vitae, names of 3 references, and a brief summary of research interests to:

Faith M. Strickland, Ph.D.  
Dermatology Research 4D49  
Henry Ford Hospital  
One Ford Place  
Detroit, MI 48202  
E-mail: FSTRICK1@hfhs.org  
Phone: 313-874-3385  
FAX: 313-874-3770.

An Equal Opportunity Employer. Smoke-free/drug free environment.

**Postdoctoral Research Associate**

Fox Chase Cancer Center.

Two NIH-funded postdoctoral positions are available to work on the development of neural crest-derived melanocytes and enteric neurons in mice. We are interested in the signals required for proper migration and differentiation of these lineages during mouse embryogenesis and use various genetic manipulation techniques and existing mutants for our studies. Fox Chase Cancer offers competitive salaries to its postdocs and was recently named one of the best places to work for Postdocs (<http://www.fccc.edu/news/2003/Best-Places-for-Postdocs-02-20-2003.html>). Candidates with a recent PhD or MD/PhD with strong background in molecular biology, genetics or developmental biology are encouraged to apply. Please submit CV, and names of 3 references to:

Dr. Myung K. Shin  
Program in Cellular and Developmental  
Biology  
Fox Chase Cancer Center  
Philadelphia, PA 19111, USA  
Email: MK\_Shin@fccc.edu

---

---

**XIX<sup>th</sup> INTERNATIONAL PIGMENT CELL CONFERENCE (IPCC)****A Focus on Human Pigmentary Diseases****September 18–22, 2005****Hyatt Regency Reston, Reston, Virginia**

**For more information: Please go to the IPCC web site  
<http://www.ipcc.info>**

### **Bibliography:**

The Bibliography published in this issue covers the period March, 2004 through May, 2004. If you notice a paper that was not detected by this search that should be included, please send it to us and we will include it in the next issue. By its very nature, assignment of a reference to a particular category is arbitrary and we urge you to read through all categories to make sure you don't miss any pertinent to your field.

### **MELANINS, MELANOGENS & MELANOGENESIS**

- Costa JM, Corbellini VA, Scroferneker ML: Study of different nitrogen sources on glucose uptake and production of melanin precursors and fungal mass of *Fonsecaea pedrosoi* cultured in tricyclazole. *PROCESS BIOCHEM* 39:633-636 (2004).
- DeMarco F, Foppoli C, Coccia R, Blarmino C, Perluigi M, Cini C, Marcante ML: Ectopic deposition of melanin pigments as detoxifying mechanism: a paradigm for basal nuclei pigmentation. *BIOCHEM BIOPHYS RES COMMUN* 314:631-637 (2004).
- Evrard YA, Mohammad-Zadeh L, Holton B: Alterations in Ca<sup>2+</sup>-dependent and cAMP-dependent signaling pathways affect neurogenesis and melanogenesis of quail neural crest cells in vitro. *DEV GENES EVOL* 214:193-199 (2004).
- Fernandes SS, Arcuri R, Morgado-Díaz JA, Benchimol M: Increase of melanogenesis by retinoic acid: an ultrastructural and morphometric study. *TISSUE CELL* 36:95-105 (2004).
- Hallégot P, Peteranderl R, Lechene C: In-Situ imaging mass spectrometry analysis of melanin granules in the human hair shaft. *J INVEST DERMATOL* 122:381-386 (2004).
- Hung YC, Sava V, Hong MY, Huang GS: Inhibitory effects on phospholipase A2 and antivenin activity of melanin extracted from *Thea sinensis* Linn. *LIFE SCI* 74:2037-2047 (2004).
- Jameson GNL, Zhang J, Jameson RF, Linert W: Kinetic evidence that cysteine reacts with dopaminoquinone via reversible adduct formation to yield 5-cysteinyl-dopamine: an important precursor of neuromelanin. *ORG BIOMOL CHEM* 2:777-782 (2004).
- Kihara J, Moriwaki A, Ueno M, Tokunaga T, Arase S, Honda Y: Cloning, functional analysis and expression of a scytalone dehydratase gene (SCD1) involved in melanin biosynthesis of the phytopathogenic fungus *Bipolaris oryzae*. *CURR GENETICS* 45:197-204 (2004).
- Kim DS, Park SH, Kwon SB, Youn SW, Park KC: Effects of lysophosphatidic acid on melanogenesis. *CHEM PHYS LIPIDS* 127:199-206 (2004).
- Kim DS, Park SH, Kwon SB, Li K, Youn SW, Park KC: (-)-epigallocatechin-3-gallate and hinokitiol reduce melanin synthesis via decreased MITF production. *ARCH PHARM RESEARCH* 27:334-339 (2004).
- Kogej T, Wheeler MH, Rizner TL, Gunde-Cimerman N: Evidence for 1,8-dihydroxynaphthalene melanin in three halophilic black yeasts grown under saline and non-saline conditions. *FEMS MICROBIOL LETT* 232:203-209 (2004).
- Masamoto Y, Murata Y, Baba K, Shimoishi Y, Tada M, Takahata K: Inhibitory effects of esculetin on melanin biosynthesis. *BIOL PHARM BULL* 27:422-425 (2004).
- Meredith P, Riesz J: Radiative relaxation quantum yields for synthetic eumelanin. *PHOTOCHEM PHOTOBIOLOG* 79:211-216 (2004).
- Ohguchi K, Banno Y, Akao Y, Nozawa Y: Involvement of phospholipase D1 in melanogenesis of mouse B16 melanoma cells. *J BIOL CHEM* 279:3408-3412 (2004).
- Ou-Yang H, Stamatias G, Kollias N: Spectral responses of melanin to ultraviolet A irradiation. *J INVEST DERMATOL* 122:492-496 (2004).
- Scalia M, DiPietro C, Poma M, Ragusa M, Sichel G, Corsaro C: The spleen pigment cells in some Amphibia. *PIGM CELL RES* 17:119-127 (2004).
- Soddu G, Sanjust E, Murgia S, Rescigno A: Interference of some tryptophan metabolites in the formation of melanin in vitro. *PIGM CELL RES* 17:135-141 (2004).

- Sugimoto K, Nishimura T, Nomura K, Sugimoto K, Kuriki T: Inhibitory effects of  $\alpha$ -arbutin on melanin synthesis in cultured human melanoma cells and a three-dimensional human skin model. *BIOL PHARM BULL* 27:510-514 (2004).
- Talloon W, VanDyck H, Lens L: The cost of melanization: Butterfly wing coloration under environmental stress. *EVOLUTION* 58:360-366 (2004).
- Youngchim S, Morris-Jones R, Hay RJ, Hamilton AJ: Production of melanin by *Aspergillus fumigatus*. *J MED MICROBIOL* 53:175-181 (2004).
- Zacks DN, Johnson MW: Transretinal pigment migration: An optical coherence tomographic study. *ARCH OPHTHALMOL* 122:406-408 (2004).

### MELANOSOMES, MELANOCYTES & KERATINOCYTES

- Akahoshi K, Spritz RA, Fukai K, Mitsui N, Matsushima K, Ohashi H: Mosaic supernumerary inv dup(15) chromosome with four copies of the P gene in a boy with pigmentary dysplasia. *AM J MED GENET PART A* 126A:290-292 (2004).
- Ando H, Watabe H, Valencia JC, Yasumoto K, Furumura M, Funasaka Y, Oka M, Ichihashi M, Hearing VJ: Fatty acids regulate pigmentation via proteasomal degradation of tyrosinase - A new aspect of ubiquitin-proteasome function. *J BIOL CHEM* 279:15427-15433 (2004).
- Barral DC, Seabra MC: The melanosome as a model to study organelle motility in mammals. *PIGM CELL RES* 17:111-118 (2004).
- Becker B, Roesch A, Hafner C, Stolz W, Dugas M, Landthaler M, Vogt T: Discrimination of melanocytic tumors by cDNA array hybridization of tissues prepared by laser pressure catapulting. *J INVEST DERMATOL* 122:361-368 (2004).
- Boehm N, Samama B, Cribier B, Rochette-Egly C: Retinoic-acid receptor  $\beta$  expression in melanocytes. *EUROPEAN J DERMATOLOGY* 14:19-23 (2004).
- Chodosh J, Burris RD: Ocular melanocytosis. *N ENGL J MED* 350:809 (2004).
- Choi SY, Kim S, Hwang JS, Lee BG, Kim H, Kim SY: Benzylamide derivative compound attenuates the ultraviolet B-induced hyperpigmentation in the brownish guinea pig skin. *BIOCHEM PHARMACOL* 67:707-715 (2004).
- Commo S, Gaillard O, Bernard BA: Human hair greying is linked to a specific depletion of hair follicle melanocytes affecting both the bulb and the outer root sheath. *BRIT J DERMATOL* 150:435-443 (2004).
- Dombeck I, Jaenike J: Ecological genetics of abdominal pigmentation in *Drosophila falleni*: A pleiotropic link to nematode parasitism. *EVOLUTION* 58:587-596 (2004).
- Dunlap S, Yu XB, Cheng LZ, Civin CI, Alani RM: High-efficiency stable gene transduction in primary human melanocytes using a lentiviral expression system. *J INVEST DERMATOL* 122:549-551 (2004).
- Gallardo MJ, Johnson DA: Cutaneous hypopigmentation following a posterior sub-tenon triamcinolone injection. *AMER J OPHTHALMOL* 137:779-780 (2004).
- Guida G, Zanna P, Gallone A, Argenzio E, Cicero R: Melanogenic response of the Kupffer cells of *Rana esculenta* L. to melanocyte stimulating hormone. *PIGM CELL RES* 17:128-134 (2004).
- Guyonneau L, Murisier F, Rossier A, Moulin A, Beermann F: Melanocytes and pigmentation are affected in dopachrome tautomerase knockout mice. *MOL CELL BIOL* 24:3396-3403 (2004).
- Hamada T, Ishii N, Kawano Y, Takahashi Y, Inoue M, Yasumoto S, Hashimoto T: The P25L mutation in the *KRT5* gene in a Japanese family with epidermolysis bullosa simplex with mottled pigmentation. *BRIT J DERMATOL* 150:609-611 (2004).
- Hargeby A, Johansson J, Ahnesjö J: Habitat-specific pigmentation in a freshwater isopod: Adaptive evolution over a small spatiotemporal scale. *EVOLUTION* 58:81-94 (2004).
- Hartmann A, Bröcker EB, Becker JC: Hypopigmentary skin disorders - Current treatment options and future directions. *DRUGS* 64:89-107 (2004).

- Hasse S, Gibbons NCJ, Rokos H, Marles LK, Schallreuter KU: Perturbed 6-tetrahydrobiopterin recycling via decreased dihydropteridine reductase in vitiligo: More evidence for H<sub>2</sub>O<sub>2</sub> stress. *J INVEST DERMATOL* 122:307-313 (2004).
- Hoogduijn MJ, Cemeli E, Ross K, Anderson D, Thody AJ, Wood JM: Melanin protects melanocytes and keratinocytes against H<sub>2</sub>O<sub>2</sub>-induced DNA strand breaks through its ability to bind Ca<sup>2+</sup>. *EXP CELL RES* 294:60-67 (2004).
- Hosaka E, Soma Y, Kawa Y, Kaminaga H, Osumi K, Ooka S, Watabe H, Ito M, Murakami F, Mizoguchi M: Effects of ultraviolet light on melanocyte differentiation: Studies with mouse neural crest cells and neural crest-derived cell lines. *PIGM CELL RES* 17:150-157 (2004).
- Hutcheson ACS, Nietert PJ, Maize JC: Incidental epidermolytic hyperkeratosis and focal acantholytic dyskeratosis in common acquired melanocytic nevi and atypical melanocytic lesions. *J AMER ACAD DERMATOL* 50:388-390 (2004).
- Imokawa G: Autocrine and paracrine regulation of melanocytes in human skin and in pigmentary disorders. *PIGM CELL RES* 17:96-110 (2004).
- Kang HY, Chung E, Lee M, Cho Y, Kang WH: Expression and function of peroxisome proliferator-activated receptors in human melanocytes. *BRIT J DERMATOL* 150:462-468 (2004).
- Kimler VA, Tracy-Bee M, Ollie CD, Langer RM, Montante JM, Marks CRC, Freeman DC, Hough RA, Taylor JD: Characterization of melanophore morphology by fractal dimension analysis. *PIGM CELL RES* 17:165-172 (2004).
- Kitamura R, Tsukamoto K, Harada K, Shimizu A, Shimada S, Kobayashi T, Imokawa G: Mechanisms underlying the dysfunction of melanocytes in vitiligo epidermis: role of SCF/KIT protein interactions and the downstream effector, MITF-M. *J PATHOL* 202:463-475 (2004).
- Kumar R, Angelini S, Snellman E, Hemminki K: BRAF mutations are common somatic events in melanocytic nevi. *J INVEST DERMATOL* 122:342-348 (2004).
- Lane C, Leitch J, Tan XH, Hadjati J, Bramson JL, Wan YH: Vaccination-induced autoimmune vitiligo is a consequence of secondary trauma to the skin. *CANCER RES* 64:1509-1514 (2004).
- Lazovich D, Sweeney C, Weinstock MA, Berwick M: Re: A prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women. *J NAT CANCER INST* 96:335 (2004).
- Lengagne R, Legal FA, Garcette M, Fiette L, Ave P, Kato M, Briand JP, Massot C, Nakashima I, Rénia L, Guillet JG, Prévost-Blondel A: Spontaneous vitiligo in an animal model for human melanoma: Role of tumor-specific CD8(+) T cells. *CANCER RES* 64:1496-1501 (2004).
- Li LXL, Crotty KA, Scolyer RA, Thompson JF, Kril JJ, Palmer AA, McCarthy SW: Use of multiple cytometric markers improves discrimination between benign and malignant melanocytic lesions: a study of DNA microdensitometry, karyometry, argyrophilic staining of nucleolar organizer regions and MIB1-Ki67 immunoreactivity. *MELANOMA RES* 13:581-586 (2003).
- Maeda K, Hatao M: Involvement of photooxidation of melanogenic precursors in prolonged pigmentation induced by ultraviolet A. *J INVEST DERMATOL* 122:503-509 (2004).
- Marghoob AA, Dusza S, Oliveria S, Halpern AC: Number of satellite nevi as a correlate for neurocutaneous melanocytosis in patients with large congenital melanocytic nevi. *ARCH DERMATOL* 140:171-175 (2004).
- McNulty SE, DelRosario R, Cen DZ, Meyskens FL, Yang S: Comparative expression of NFκB proteins in melanocytes of normal skin vs. benign intradermal naevus and human metastatic melanoma biopsies. *PIGM CELL RES* 17:173-180 (2004).
- Meyer CH, Freyschmidt-Paul P, Happle R, Kroll P: Unilateral linear hyperpigmentation of the skin with ipsilateral sectorial hyperpigmentation of the retina. *AM J MED GENET PART A* 126A:89-92 (2004).
- Montoliu L, Larue L, Beermann F: On the use of regulatory regions from pigmentary genes to drive the expression of transgenes in mice. *PIGM CELL RES* 17:188-190 (2004).
- Naysmith L, Waterston K, Ha T, Flanagan N, Bisset Y, Ray A, Wakamatsu K, Ito S, Rees JL: Quantitative measures of the effect of the melanocortin 1 receptor on human pigmentary status. *J INVEST DERMATOL* 122:423-428 (2004).

- Nguyen T, Wei ML: Characterization of melanosomes in murine Hermansky-Pudlak syndrome: Mechanisms of hypopigmentation. *J INVEST DERMATOL* 122:452-460 (2004).
- Passeron T, Bahadoran P, Bertolotto C, Chiaverini C, Buscà R, Valony G, Bille K, Ortonne JP, Ballotti R: Cyclic AMP promotes a peripheral distribution of melanosomes and stimulates melanophilin/Slac2-a and actin association. *FASEB J* 18:NIL (2004).
- Pla P, Solov'eva O, Moore R, Alberti C, Kunisada T, Larue L: Dct&COLALPHA;:LacZ ES cells: A novel cellular model to study melanocyte determination and differentiation. *PIGM CELL RES* 17:142-149 (2004).
- Riebeling C, Müller C, Geilen CC: Expression and regulation of phospholipase D isoenzymes in human melanoma cells and primary melanocytes. *MELANOMA RES* 13:555-562 (2003).
- Shields CL, Fasiuddin A, Mashayekhi A, Shields JA: Conjunctival nevi - Clinical features and natural course in 410 consecutive patients. *ARCH OPHTHALMOL* 122:167-175 (2004).
- Smith-Thomas L, Moustafa M, Spada CS, Shi L, Dawson RA, Wagner M, Balafa C, Kedzie KM, Reagan JW, Krauss AHP, Woodward DF, MacNeil S: Latanoprost-induced pigmentation in human iridial melanocytes is fibroblast dependent. *EXP EYE RES* 78:973-985 (2004).
- Sodhi PK, Verma L, Ratan SK: Increased periorcular pigmentation with ocular hypotensive lipid use in African Americans. *AMER J OPHTHALMOL* 137:783 (2004).
- Stamatas GN, Kollias N: Blood stasis contributions to the perception of skin pigmentation. *J BIOMED OPT* 9:315-322 (2004).
- Strumia R, Montanari A: Low positive predictive value of ABCD-E rule for dermatoscopy of small melanocytic naevi. *MELANOMA RES* 13:631-632 (2003).
- VanGeel NAC, Ongenae K, Haeghen YMSJ, Naeyaert JM: Autologous transplantation techniques for vitiligo: how to evaluate treatment outcome. *EUROPEAN J DERMATOLOGY* 14:46-51 (2004).
- VanNeste D, Tobin DJ: Hair cycle and hair pigmentation: dynamic interactions and changes associated with aging. *MICRON* 35:193-200 (2004).
- VanNeste D: Thickness, medullation and growth rate of female scalp hair are subject to significant variation according to pigmentation and scalp location during ageing. *EUROPEAN J DERMATOLOGY* 14:28-32 (2004).
- Veierod MB, Weiderpass E, Lund E, Armstrong B, Adami HO: Re: A prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women - Response. *J NAT CANCER INST* 96:337-338 (2004).
- Venkatasamy R, Faas L, Young AR, Raman A, Hider RC: Effects of piperine analogues on stimulation of melanocyte proliferation and melanocyte differentiation. *BIOORGAN MED CHEM* 12:1905-1920 (2004).
- Wellbrock C, Ogilvie L, Hedley D, Karasarides M, Martin J, Niculescu-Duvaz D, Springer CJ, Marais R: B-V599E-RAF is an oncogene in melanocytes. *CANCER RES* 64:2338-2342 (2004).
- Whiteman DC, Green AC: Re: A prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women - Response. *J NAT CANCER INST* 96:336-337 (2004).
- Yaar M, Gilchrist BA: Melanocyte biology: Before, during, and after the Fitzpatrick era. *J INVEST DERMATOL* 122:XXVII-XXXIX (2004).
- Zanardo L, Stolz W, Schmitz G, Kaminski W, Vikkula M, Landthaler M, Vogt T: Progressive hyperpigmentation and generalized lentiginosis without associated systemic symptoms: a rare hereditary pigmentation disorder in south-east Germany. *ACTA DERMATO VENEREOL* 84:57-60 (2004).

### MELANOMA & METASTASIS

- Abe R, Shimizu T, Yamagishi S, Shibaki A, Amano S, Inagaki Y, Watanabe H, Sugawara H, Nakamura H, Takeuchi M, Imaizumi T, Shimizu H: Overexpression of pigment epithelium-derived factor decreases angiogenesis and inhibits the growth of human malignant melanoma cells in vivo. *AMER J PATHOL* 164:1225-1232 (2004).
- Abrahamsen HN, Hamilton-Dutoit SJ, Larsen J, Steiniche T: Sentinel lymph nodes in malignant melanoma - Extended histopathologic evaluation improves diagnostic precision. *CANCER* 100:1683-1691 (2004).

- Abramson DH, Kerestzes R, Shamonki J: Metastatic ocular melanoma. *ARCH OPHTHALMOL* 122:658-659 (2004).
- Agarwala SS, Neuberg D, Park Y, Kirkwood JM: Mature results of a phase III randomized trial of bacillus Calmette-Guerin (BCG) versus observation and BCG plus dacarbazine versus BCG in the adjuvant therapy of American Joint Committee on Cancer Stage I-III melanoma (E1673) - A trial of the eastern cooperative oncology group. *CANCER* 100:1692-1698 (2004).
- Alexander A, Harris RM, Grossman D, Bruggers CS, Leachman SA: Vulvar melanoma: Diffuse melanosis and metastasis to the placenta. *J AMER ACAD DERMATOL* 50:293-298 (2004).
- Amend KL, Elder JT, Tomsho LP, Bonner JD, Johnson TM, Schwartz J, Berwick M, Gruber SB: EGF gene polymorphism and the risk of incident primary melanoma. *CANCER RES* 64:2668-2672 (2004).
- Andersen MH, Reker S, Becker JC, Straten PT: The melanoma inhibitor of apoptosis protein: A target for spontaneous cytotoxic T cell responses. *J INVEST DERMATOL* 122:392-399 (2004).
- Avbelj M, Hocevar M, Trebusak-Podkrajsek K, Krzisnik C, Battelino T: A novel L94Q mutation in the CDKN2A gene in a melanoma kindred. *MELANOMA RES* 13:567-570 (2003).
- Avril MF, Aamdal S, Grob JJ, Hauschild A, Mohr P, Bonerandi JJ, Weichenthal M, Neuber K, Bieber T, Gilde K, Porta VG, Fra J, Bonnetterre J, Saiäg P, Kamanabrou D, Pehamberger H, Sufliarsky J, Larriba JLG, Scherrer A, Menu Y: Fotemustine compared with dacarbazine in patients with disseminated malignant melanoma: A phase III study. *J CLIN ONCOL* 22:1118-1125 (2004).
- Baccarelli A, Calista D, Minghetti P, Marinelli B, Albetti B, Tseng T, Hedayati M, Grossman L, Landi G, Struewing JP, Landi MT: XPD gene polymorphism and host characteristics in the association with cutaneous malignant melanoma risk. *BRIT J CANCER* 90:497-502 (2004).
- Baroody M, Holds JB: Extensive locoregional malignant melanoma transformation in a patient with oculodermal melanocytosis. *PLAST RECONSTR SURG* 113:317-322 (2004).
- Bartlett JB, Michael A, Clarke IA, Dredge K, Nicholson S, Kristeleit H, Polychronis A, Pandha H, Muller GW, Stirling DI, Zeldis J, Dalglish AG: Phase 1 study to determine the safety, tolerability and immunostimulatory activity of thalidomide analogue CC-5013 in patients with metastatic malignant melanoma and other advanced cancers. *BRIT J CANCER* 90:955-961 (2004).
- Bartolomé RA, Gálvez BG, Longo N, Baleux F, vanMuijen GNP, Sánchez-Mateos P, Arroyo AG, Teixidó J: Stromal cell-derived factor-1 $\beta$  promotes melanoma cell invasion across basement membranes involving stimulation of membrane-type 1 matrix metalloproteinase and Rho GTPase activities. *CANCER RES* 64:2534-2543 (2004).
- Barzilai DA, Cooper KD, Neuhauser D, Rimm AA, Cooper GS: Geographic and patient variation in receipt of surveillance procedures after local excision of cutaneous melanoma. *J INVEST DERMATOL* 122:246-255 (2004).
- Bataille V, Winnett A, Sasieni P, Bishop JAN, Cuzick J: Exposure to the sun and sunbeds and the risk of cutaneous melanoma in the UK: a case-control study. *EUR J CANCER* 40:429-435 (2004).
- Bedikian AY, Plager C, Papadopoulos N, Eton O, Ellerhorst J, Smith T: Phase II evaluation of paclitaxel by short intravenous infusion in metastatic melanoma. *MELANOMA RES* 14:63-66 (2004).
- Bedogni B, O'Neill MS, Welford SM, Bouley DM, Giaccia AJ, Denko NC, Powell MB: Topical treatment with inhibitors of the phosphatidylinositol 3'-kinase/akt and raf/mitogen-activated protein kinase/extracellular signal-regulated kinase pathways reduces melanoma development in severe combined immunodeficient mice. *CANCER RES* 64:2552-2560 (2004).
- Berd D, Sato T, Maguire HC, Kairys J, Mastrangelo MJ: Immunopharmacologic analysis of an autologous, hapten-modified human melanoma vaccine. *J CLIN ONCOL* 22:403-415 (2004).
- Bergemar M, Nilsson B, Hansson J, Brandberg Y: Anxiety and depressive symptoms measured by the hospital anxiety and depression scale as predictors of time to recurrence in localized cutaneous melanoma. *ACTA ONCOL* 43:161-168 (2004).
- Bertram CG, Gaut RM, Barrett JH, Randerson-Moor J, Whitaker L, Turner F, Bataille V, Silva ID, Swerdlow AJ, Bishop DT, Bishop JAN: An assessment of a variant of the DNA repair gene XRCC3 as a possible nevus or melanoma susceptibility genotype. *J INVEST DERMATOL* 122:429-432 (2004).

- Blaheta HJ, Roeger S, Sotlar K, Schitteck B, Breuninger H, Bueltmann B, Garbe C: Additional reverse transcription-polymerase chain reaction of peripheral slices is not superior to analysis of the central slice in sentinel lymph nodes from melanoma patients. *BRIT J DERMATOL* 150:477-483 (2004).
- Boniol M, Autier P, Doré JF: Re: A prospective study of pigmentation, sun exposure, and risk of cutaneous malignant melanoma in women. *J NAT CANCER INST* 96:335-336 (2004).
- Bonnen MD, Ballo MT, Myers JN, Garden AS, Diaz EM, Gershenwald JE, Morrison WH, Lee JE, Oswald MJ, Ross MI, Ang KK: Elective radiotherapy provides regional control for patients with cutaneous melanoma of the head and neck. *CANCER* 100:383-389 (2004).
- Borovansky J, Horák V, Elleder M, Fortyn K, Smit NPM, Kolb AM: Biochemical characterization of a new melanoma model the minipig MeLiM strain. *MELANOMA RES* 13:543-548 (2003).
- Boskovic G, Niles RM: T-box binding protein type two (TBX2) is an immediate early gene target in retinoic-acid-treated B16 murine melanoma cells. *EXP CELL RES* 295:281-289 (2004).
- Bove R, Char DH: Nondiagnosed uveal melanomas. *OPHTHALMOLOGY* 111:554-557 (2004).
- Burger AM, Fiebig HH, Stinson SF, Sausville EA: 17-(Allylamino)-17-demethoxygeldanamycin activity in human melanoma models. *ANTI CANCER DRUG* 15:377-387 (2004).
- Cady B, Elias, Osteen R, Wanebo H, Colacchio T: Is completion lymphadenectomy after a positive sentinel lymph node biopsy for cutaneous melanoma always necessary? Discussion. *ARCH SURG* 139:404-405 (2004).
- Cairns RA, Hill RP: Acute hypoxia enhances spontaneous lymph node metastasis in an orthotopic murine model of human cervical carcinoma. *CANCER RES* 64:2054-2061 (2004).
- Calista D, Morri M, Riccioni L, Bassi M, Marchetti C: Pathology quiz case 2 - Diagnosis: Primary mucosal melanoma of the nasal cavity. *ARCH OTOLAR HEAD NECK SURGERY* 130:475-+ (2004).
- Chamberlain AJ, Kelly JW: Nodular melanomas and older men: a major challenge for community surveillance programs. *MED J AUSTRALIA* 180:432 (2004).
- Chan WM, Kwok AKH, Liu DTL, Choi PCL, Lam SW, Lam DSC: Hemorrhagic complication in an unsuspected macular choroidal melanoma. *AMER J OPHTHALMOL* 137:574-577 (2004).
- Chang PC, Fischbein NJ, McCalmont TH, Kashani-Sabet M, Zettersten EM, Liu AY, Weissman JL: Perineural spread of malignant melanoma of the head and neck: Clinical and imaging features. *AMER J NEURORADIOL* 25:5-11 (2004).
- Cho D, Hahm E, Kang JS, Kim YI, Yang Y, Park JH, Kim D, Kim SH, Kim YS, Hur DY, Park H, Pang S, Hwang YI, Lee WJ: Vitamin C downregulates interleukin-18 production by increasing reactive oxygen intermediate and mitogen-activated protein kinase signalling in B16F10 murine melanoma cells. *MELANOMA RES* 13:549-554 (2003).
- Coleman DJ, Silverman MJ, Boldt HC, Lloyd HO, Lizzi FL, Weingeist TA, Chen X, Vangveeravong S, Folbeig R: Noninvasive in vivo detection of prognostic indicators for high-risk uveal melanoma - Ultrasound parameter Imaging. *OPHTHALMOLOGY* 111:558-564 (2004).
- Coli A, Giacomini PG, Bigotti G, Ferraro S, Alessandrini M, DelVecchio M, Massi G: Aberrant neurofilament protein and synaptophysin expression in malignant melanoma of the nasal cavity. *HISTOPATHOLOGY* 44:193-195 (2004).
- Conill C, González-Cao M, Jorcano S, Puig S, Malveyh J, Martí R, Castel R: Temozolomide as prophylaxis for melanoma brain metastases. *MELANOMA RES* 14:73-74 (2004).
- Cornelius LA: Sentinel lymph node biopsy in patients with thin melanoma - Reply. *ARCH DERMATOL* 140:238-239 (2004).
- Delaney G, Barton M, Jacob S: Estimation of an optimal radiotherapy utilization rate for melanoma - A review of the evidence. *CANCER* 100:1293-1301 (2004).
- DelVecchio M, Gattinoni L, Lozza L, Bajetta E: Unusual aspects of melanoma - Case 2. Regionally advanced nasal cavity melanoma. *J CLIN ONCOL* 22:745-746 (2004).
- Depeille P, Cuq P, Mary S, Passagne I, Evrard A, Cupissol D, Vian L: Glutathione S-transferase M1 and multidrug resistance protein 1 Act in synergy to protect melanoma cells from vincristine effects. *MOL PHARMACOL* 65:897-905 (2004).



- deWilt JHW, Thompson JF, Uren RF, Ka VSK, Scolyer RA, McCarthy WH, O'Brien CJ, Quinn MJ, Shannon KF: Correlation between preoperative lymphoscintigraphy and metastatic nodal disease sites in 362 patients with cutaneous melanomas of the head and neck. *ANN SURG* 239:544-552 (2004).
- Duffy DL, Box NF, Chen W, Palmer JS, Montgomery GW, James MR, Hayward NK, Martin NG, Sturm RA: Interactive effects of MC1R and OCA2 on melanoma risk phenotypes. *HUM MOL GENET* 13:447-461 (2004).
- Duh EJ, Schachat AP, Albert DM, Patel SM: Long-term survival in a patient with uveal melanoma and liver metastasis. *ARCH OPHTHALMOL* 122:285-287 (2004).
- Edwards RH, Ward MR, Wu H, Medina CA, Brose MS, Volpe P, Lee SN, Haupt HM, Martin AM, Herlyn M, Lessin SR, Weber BL: Absence of BRAF mutations in UV-protected mucosal melanomas. *J MED GENET* 41:270-272 (2004).
- Elias N, Tanabe KK, Sober AJ, Gadd MA, Mihm MC, Goodspeed B, Cosimi AB: Is completion lymphadenectomy after a positive sentinel lymph node biopsy for cutaneous melanoma always necessary? *ARCH SURG* 139:400-404 (2004).
- Fife KM, Colman MH, Stevens GN, Firth IC, Moon D, Shannon KF, Harman R, Petersen-Schaefer K, Zacest AC, Besser M, Milton GW, McCarthy WH, Thompson JF: Determinants of outcome in melanoma patients with cerebral metastases. *J CLIN ONCOL* 22:1293-1300 (2004).
- Flaherty KT, Brose MS: New molecular targets in melanoma. *CURR OPIN ONCOL* 16:150-154 (2004).
- Fujimoto A, Takeuchi H, Taback B, Hsueh EC, Elashoff D, Morton DL, Hoon DSB: Allelic imbalance of 12q22-23 associated with APOBEC1 locus correlates with poor disease outcome in cutaneous melanoma. *CANCER RES* 64:2245-2250 (2004).
- Gabrielsson S, Brichard V, Dhellin O, Dorval T, Bonnerot C: IFN- $\gamma$  responses in peptide-treated melanoma patients measured by an ELISPOT assay using allogeneic dendritic cells. *ANTICANCER RES* 24:171-177 (2004).
- Gajewski TF: Temozolomide for melanoma: new toxicities and new opportunities. *J CLIN ONCOL* 22:580-581 (2004).
- Gassler N, Banafsche N, Quentmeier A, Otto HF, Helmke BM: Secondary malignant melanoma of the gallbladder. A contribution to the differential diagnosis of pigmented lesions of the gallbladder. *PATHOLOGE* 25:155-159 (2004).
- Geffrotin C, Crechet F, Leroy P, LeChalony C, Leplat JJ, Iannuccelli N, Barbosa A, Renard C, Gruand J, Milan D, Horak V, Tricaud Y, Bouet S, Franck M, Frelat G, Vincent-Naulleau S: Identification of five chromosomal regions involved in predisposition to melanoma by genome-wide scan in the MeLiM swine model. *INT J CANCER* 110:39-50 (2004).
- Gelbart Y, Frankenburg S, Pinchasov Y, Krispel S, Eliahu D, Drize O, Morag E, Bartfeld D, Lotem M, Peretz T, Pitcovski J: Production and purification of melanoma gp100 antigen and polyclonal antibodies. *PROTEIN EXPRESS PURIF* 34:183-189 (2004).
- Ghiorzo P, Villaggio B, Sementa AR, Hansson J, Platz A, Nicoló G, Spina B, Canepa M, Palmer JM, Hayward NK, Bianchi-Scarrà G: Expression and localization of mutant p16 proteins in melanocytic lesions from familial melanoma patients. *HUM PATHOL* 35:25-33 (2004).
- Glover D, Ibrahim J, Kirkwood J, Glick J, Karp D, Stewart J, Ewell M, Borden E: Phase II randomized trial of cisplatin and WR-2721 versus cisplatin alone for metastatic melanoma: an Eastern Cooperative Oncology Group Study (E1686). *MELANOMA RES* 13:619-626 (2003).
- Gniadecka M, Philipsen PA, Sigurdsson S, Wessel S, Nielsen OF, Christensen DH, Hercogova J, Rossen K, Thomsen HK, Gniadecki R, Hansen LK, Wulf HC: Melanoma diagnosis by Raman spectroscopy and neural networks: Structure alterations in proteins and lipids in intact cancer tissue. *J INVEST DERMATOL* 122:443-449 (2004).
- Goldberg BB, Merton DA, Liu JB, Thakur M, Murphy GF, Needleman L, Tornes A, Forsberg F: Sentinel lymph nodes in a swine model with melanoma: Contrast-enhanced lymphatic US. *Radiology* 230:727-34 (2004).

- Goodall J, Martinozzi S, Dexter TJ, Champeval D, Carreira S, Larue L, Goding CR: Brn-2 expression controls melanoma proliferation and is directly regulated by  $\beta$ -catenin. *MOL CELL BIOL* 24:2915-2922 (2004).
- Graff BA, Vangberg L, Rofstad EK: Quantitative assessment of uptake and distribution of iron oxide particles (NC100150) in human melanoma xenografts by contrast-enhanced MRI. *MAGN RESON MED* 51:727-735 (2004).
- Haenssle HA, Krause SW, Emmert S, Zutt M, Kretschmer L, Schmidberger H, Andreesen R, Soruri A: Hybrid cell vaccination in metastatic melanoma - Clinical and immunologic results of a phase I/II study. *J IMMUNOTHER* 27:147-155 (2004).
- Harkness KA, Manford MRA: Metastatic malignant melanoma presenting as a cavernous sinus syndrome. *J NEUROL* 251:224-225 (2004).
- Harvell JD, Kohler S, Zhu S, Hernandez-Boussard T, Pollack JR, vandeRijn M: High-resolution array-based comparative genomic hybridization for distinguishing paraffin-embedded Spitz nevi and melanomas. *DIAGN MOL PATHOL* 13:22-25 (2004).
- Helm TN: Iatrogenic ulceration of melanoma is not of prognostic significance. *J AMER ACAD DERMATOL* 50:487 (2004).
- Hesling C, D'Incan M, D'Incan C, Souteyrand P, Monboisse JC, Pasco S, Madelmont JC, Bignon YJ: Downregulation of BRCA1 in A375 melanoma cell line increases radio-sensitivity and modifies metastatic and angiogenic gene expression. *J INVEST DERMATOL* 122:369-380 (2004).
- Hocevat M, Bracko M, Pogacnik A, Vidergar-Kralj B, Besic N, Zgajnar JJ: Role of imprint cytology in the intraoperative evaluation of sentinel lymph nodes for malignant melanoma (vol 39, pg 2173, 2003). *EUR J CANCER* 40:780 (2004).
- Hogan KT, Coppola MA, Gatlin CL, Thompson LW, Shabanowitz J, Hunt DF, Engelhard VH, Ross MM, Slingluff CL: Identification of novel and widely expressed cancer/testis gene isoforms that elicit spontaneous cytotoxic T-lymphocyte reactivity to melanoma. *CANCER RES* 64:1157-1163 (2004).
- Hu S, Liao SK, Pang JHS, Chen MC, Chen CH, Hong HS: Screening of inhibitors of human telomerase reverse transcriptase in a cultured malignant melanoma cell line. *BRIT J DERMATOL* 150:388-390 (2004).
- Isoldi MC, Periera EA, Visconti MA, Castrucci AML: The role of calcium, calcium-activated K<sup>+</sup> channels, and tyrosine/kinase in psoralen-evoked responses in human melanoma cells. *BRAZ J MED BIOL RES* 37:559-568 (2004).
- Jung ID, Lee J, Lee KB, Park CG, Kim YK, Seo DW, Park D, Lee HW, Han JW, Lee HY: Activation of p21-activated kinase 1 is required for lysophosphatidic acid-induced focal adhesion kinase phosphorylation and cell motility in human melanoma A2058 cells. *EUR J BIOCHEM* 271:1557-1565 (2004).
- Kaiserman I, Amer R, Pe'er J: Liver function tests in metastatic uveal melanoma. *AMER J OPHTHALMOL* 137:236-243 (2004).
- Kamaraju AK, Adjalley S, Zhang PL, Chebath J, Revel M: C/EBP-d $\delta$  induction by gp130 signaling - Role in transition to myelin gene expressing phenotype in a melanoma cell line model. *J BIOL CHEM* 279:3852-3861 (2004).
- Kang DC, Gopalkrishnan RV, Lin L, Randolph A, Valerie K, Pestka S, Fisher PB: Expression analysis and genomic characterization of human melanoma differentiation associated gene-5, mda-5: a novel type I interferon-responsive apoptosis-inducing gene. *ONCOGENE* 23:1789-1800 (2004).
- Kanzler MH, Swetter SM: Iatrogenic ulceration of melanoma is not of prognostic significance - Reply. *J AMER ACAD DERMATOL* 50:487-488 (2004).
- Kanzler MH: Sentinel lymph node biopsy in patients with thin melanoma. *ARCH DERMATOL* 140:237-238 (2004).
- Kashani-Sabet M, Shaikh L, Miller JR, Nosrati M, Ferreira CMM, Debs RJ, Sagebiel RW: NF- $\kappa$ B in the vascular progression of melanoma. *J CLIN ONCOL* 22:617-623 (2004).
- Kato M, Takeda K, Kawamoto Y, Tsuzuki T, Hossain K, Tamakoshi A, Kunisada T, Kambayashi Y, Ogino K, Suzuki H, Takahashi M, Nakashima L: c-Kit-targeting immunotherapy for hereditary melanoma in a mouse model. *CANCER RES* 64:801-806 (2004).

- Kim KB, Sanguino AM, Hodges C, Papadopoulos NE, Eton O, Camacho LH, Broemeling LD, Johnson MM, Ballo MT, Ross MI, Gershenwald JE, Lee JE, Mansfield PF, Prieto VG, Bedikian AY: Biochemotherapy in patients with metastatic anorectal mucosal melanoma. *CANCER* 100:1478-1483 (2004).
- Kleeberg UR, Suci S, Bröcker EB, Rüter DJ, Chartier C, Liénard D, Marsden J, Schadendorf D, Eggermont AMM: Final results of the EORTC 18871/DKG 80-1 randomised phase III trial: rIFN- $\alpha$ 2b versus rIFN- $\beta$  versus ISCADOR M(R) versus observation after surgery in melanoma patients with either high-risk primary (thickness >3 mm) or regional lymph node metastasis. *EUR J CANCER* 40:390-402 (2004).
- Koma YI, Ito A, Watabe K, Kimura SH, Kitamura Y: A truncated isoform of the PP2A B56 $\beta$  regulatory subunit reduces irradiation-induced Mdm2 phosphorylation and could contribute to metastatic melanoma cell radioresistance. *HISTOL HISTOPATHOL* 19:391-400 (2004).
- Korabiowska M, Bauer H, Quentin T, Stachura J, Cordon-Cardo C, Brinck U: Application of new in situ hybridization probes for Ku70 and Ku80 in tissue microarrays of paraffin-embedded malignant melanomas: correlation with immunohistochemical analysis. *HUM PATHOL* 35:210-216 (2004).
- Krepler C, Wacheck V, Strommer S, Hartmann G, Polterauer P, Wolff K, Pehamberger H, Jansen B: CpG oligonucleotides elicit antitumor responses in a human melanoma NOD/SCID xenotransplantation model. *J INVEST DERMATOL* 122:387-391 (2004).
- Kretschmer L, Hilgers R, Möhrle M, Balda BR, Breuninger H, Konz B, Kunte C, Marsch WC, Neumann C, Starz H: Patients with lymphatic metastasis of cutaneous malignant melanoma benefit from sentinel lymphonodectomy and early excision of their nodal disease. *EUR J CANCER* 40:212-218 (2004).
- Krown SE, Chapman PB: Defining adequate surgery for primary melanoma. *N ENGL J MED* 350:823-825 (2004).
- Lasek W, Basak G, Switaj T, Jakubowska AB, Wysocki PJ, Mackiewicz A, Drela N, Jalili A, Kaminski R, Kozar K, Jakóbsiak M: Complete tumour regressions induced by vaccination with IL-12 gene-transduced tumour cells in combination with IL-15 in a melanoma model in mice. *CANCER IMMUNOL IMMUNOTHER* 53:363-372 (2004).
- Ledezma E, Apitz-Castro R, Cardier J: Apoptotic and anti-adhesion effect of ajoene, a garlic derived compound, on the murine melanoma B16F10 cells: possible role of caspase-3 and the  $\alpha$ 4 $\beta$ 1 integrin. *CANCER LETT* 206:35-41 (2004).
- Lens MB, Newton-Bishop JA, Dawes M: Surgical margins in cutaneous melanoma (2 cm versus 5 cm for lesions measuring less than 2.1-mm thick). *CANCER* 100:433-434 (2004).
- Lens MB, Dawes M: Global perspectives of contemporary epidemiological trends of cutaneous malignant melanoma. *BRIT J DERMATOL* 150:179-185 (2004).
- Leyon PV, Kuttan G: Inhibitory effect of a polysaccharide from *Tinospora cordifolia* on experimental metastasis. *J ETHNOPHARMACOL* 90:233-237 (2004).
- Leyon PV, Kuttan G: Effect of *Withania somnifera* on B16F-10 melanoma induced metastasis in mice. *PHYTOTHER RES* 18:118-122 (2004).
- Li Q, Jin Y, Cui FD: Melanoma vaccine based on the vector of membrane fusogenic liposomes. *PHARMAZIE* 59:263-267 (2004).
- Lim DS, Ko SH, Lee WY: Silkworm-pheophorbide a mediated photodynamic therapy against B16F10 pigmented melanoma. *J PHOTOCHEM PHOTOBIOLOG B BIOL* 74:1-6 (2004).
- Lohmann CM, Hwu WJ, Iversen K, Jungbluth AA, Busam KJ: Primary malignant melanoma of the oesophagus: a clinical and pathological study with emphasis on the immunophenotype of the tumours for melanocyte differentiation markers and cancer/testis antigens. *MELANOMA RES* 13:595-601 (2003).
- Lotem M, Shiloni E, Pappo I, Drize O, Hamburger T, Weitzen R, Isacson R, Kaduri L, Merims S, Frankenburg S, Peretz T: Interleukin-2 improves tumour response to DNP-modified autologous vaccine for the treatment of metastatic malignant melanoma. *BRIT J CANCER* 90:773-780 (2004).
- Ludwig RJ, Boehme B, Podda M, Henschler R, Jager E, Tandi C, Boehncke WH, Zollner TM, Kaufmann R, Gille J: Endothelial P-selectin as a target of heparin action in experimental melanoma lung metastasis. *CANCER RES* 64:2743-2750 (2004).

- Lugassy C, Kleinman HK, Engbring JA, Welch DR, Harms JF, Rufner R, Ghanem G, Patierno SR, Barnhill RL: Pericyte-like location of GFP-tagged melanoma cells - Ex vivo and in vivo studies of extravascular migratory metastasis. *AMER J PATHOL* 164:1191-1198 (2004).
- Lumb PD, Suvarna SK: Metastasis in pleural mesothelioma. Immunohistochemical markers for disseminated disease. *HISTOPATHOLOGY* 44:345-352 (2004).
- Macht SD: The way it really happened: Breslow, Macht, and tumor thickness in melanoma. *PLAST RECONSTR SURG* 113:737-739 (2004).
- Mahabir S, Frenkel K, Brady MS, Coit D, Leibes L, Karkoszka J, Berwick M: Randomized, placebo-controlled pilot trial of the effects of  $\alpha$ -tocopherol supplementation on levels of autoantibodies against 5-hydroxymethyl-2-deoxyuridine in melanoma patients. *MELANOMA RES* 14:49-56 (2004).
- Majore S, Catricalà C, Binni F, DeSimone P, Eibenschutz L, Grammatico P: CDKN2A: The IVS2-105A/G intronic mutation found in an Italian patient affected by eight primary melanomas. *J INVEST DERMATOL* 122:450-451 (2004).
- Martínez-Lorenzo MJ, Anel A, Alava MA, Piñeiro A, Naval J, Lasierra P, Larrad L: The human melanoma cell line MelJuSo secretes bioactive FasL and AP02L/TRAIL on the surface of microvesicles. Possible contribution to tumor counterattack. *EXP CELL RES* 295:315-329 (2004).
- Marulli GC, Campione E, DiStefani A, Citarella L, Chimenti S: Ink spot lentigo arising on naevus spilus simulating melanoma. *ACTA DERMATO VENEREOL* 84:166-167 (2004).
- Massi D, Franchi A, Paglierani M, Ketabchi S, Borgognoni L, Reali UM, Santucci M: Vasculogenic mimicry has no prognostic significance in pT3 and pT4 cutaneous melanoma. *HUM PATHOL* 35:496-502 (2004).
- McKenna DB, Lee RJ, Prescott RJ, Doherty VR: A retrospective observational study of primary cutaneous malignant melanoma patients treated with excision only compared with excision biopsy followed by wider local excision. *BRIT J DERMATOL* 150:523-530 (2004).
- Melnikova VO, Bolshakov SV, Walker C, Ananthaswamy HN: Genomic alterations in spontaneous and carcinogen-induced murine melanoma cell lines. *ONCOGENE* 23:2347-2356 (2004).
- Mihm MC, Sober AJ: Melanoma before and after Thomas B. Fitzpatrick. *J INVEST DERMATOL* 122:XXXII-XXXIII (2004).
- Missotten GS, Beijnen JH, Keunen JEE, Bonfrer JMG: Proteomics in uveal melanoma. *MELANOMA RES* 13:627-629 (2003).
- Montella L, Vardanega A, Farruggio A, Bonciarelli G: Unusual aspects of melanoma - Case 1. Jejunal malignant melanoma: Intestinal or unknown primary? *J CLIN ONCOL* 22:743-744 (2004).
- Movassagh M, Spatz A, Davoust J, Lebecque S, Romero P, Pittet M, Rimoldi D, Liénard D, Gugerli O, Ferradini L, Robert C, Avril MF, Zitvogel L, Angevin E: Selective, accumulation of mature DC-Lamp(+) dendritic cells in tumor sites is associated with efficient T-cell-mediated antitumor response and control of metastatic dissemination in melanoma. *CANCER RES* 64:2192-2198 (2004).
- Murthy SG, Honavar SG, Naik M, Reddy VAP, Vemuganti GK: Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy. *AMER J OPHTHALMOL* 137:594-595 (2004).
- Myers DA, Bird BR, Ryan SM, Tormey P, McKenna P, O'Reilly S, Breathnach OS: Unusual aspects of melanoma - Case 3. Melanoma-associated retinopathy presenting with night blindness. *J CLIN ONCOL* 22:746-748 (2004).
- Nielsen K, Ingvar C, Måsbäck A, Westerdahl J, Borg Å, Sandberg T, Jonsson N, Nagel J, Olsson H: Melanoma and nonmelanoma skin cancer in patients with multiple tumours - evidence for new syndromes in a population-based study. *BRIT J DERMATOL* 150:531-536 (2004).
- Noter SL, Rothbarth J, Pijl MEJ, Keunen JEE, Hartgrink HH, Tijnl FGJ, Kuppen PJK, vandeVelde CJH, Tollenaar RAEM: Isolated hepatic perfusion with high-dose melphalan for the treatment of uveal melanoma metastases confined to the liver. *MELANOMA RES* 14:67-72 (2004).
- Ntayi C, Labrousse AL, Debret R, Birembaut P, Bellon G, Antonicelli F, Hornebeck W, Bernard P: Elastin-derived peptides upregulate matrix metalloproteinase-2-mediated melanoma cell invasion through elastin-binding protein. *J INVEST DERMATOL* 122:256-265 (2004).

- Ogura T, Noguchi T, Murai-Takebe R, Hosooka T, Honma N, Kasuga M: Resistance of B16 melanoma cells to CD47-induced negative regulation of motility as a result of aberrant N-glycosylation of SHPS-1. *J BIOL CHEM* 279:13711-13720 (2004).
- Okada Y, Okada N, Mizuguchi H, Takahashi K, Hayakawa T, Mayumi T, Mizuno N: Optimization of antitumor efficacy and safety of in vivo cytokine gene therapy using RGD fiber-mutant adenovirus vector for preexisting murine melanoma. *BBA GEN SUBJECTS* 1670:172-180 (2004).
- Okada Y, Okada N, Nakagawa S, Mizuguchi H, Kanehira M, Nishino N, Takahashi K, Mizuno N, Hayakawa T, Mayumi T: Fiber-mutant technique can augment gene transduction efficacy and anti-tumor effects against established murine melanoma by cytokine-gene therapy using adenovirus vectors (vol, 177, pg 57, 2002). *CANCER LETT* 204:115-116 (2004).
- Pacella SJ, Lowe L, Bradford C, Marcus BC, Johnson T, Rees R: The utility of sentinel lymph node biopsy in head and neck melanoma in the pediatric population. *PLAST RECONSTR SURG* 112:1257-1265 (2003).
- Pacifico MD, Grover R, Richman P, Daley F, Wilson GD: Validation of tissue microarray for the immunohistochemical profiling of melanoma. *MELANOMA RES* 14:39-42 (2004).
- Parkhurst MR, Riley JP, Robbins PF, Rosenberg SA: Induction of CD4+ Th1 lymphocytes that recognize known and novel class II MHC restricted epitopes from the melanoma antigen gp100 by stimulation with recombinant protein. *J IMMUNOTHER* 27:79-91 (2004).
- Paul E, Müller I, Renner H, Bodeker RH, Cochran AJ: Treatment of locoregional metastases of malignant melanomas with radiotherapy and intralesional b $\beta$ -interferon injection. *MELANOMA RES* 13:611-617 (2003).
- Pawlak WZ, Legha SS: Phase II study of thalidomide in patients with metastatic melanoma. *MELANOMA RES* 14:57-62 (2004).
- Peltenburg LTC, deBruin EC, Meersma D, Wilting S, Jürgensmeier JM, Schrier PI: c-Myc is able to sensitize human melanoma cells to diverse apoptotic triggers. *MELANOMA RES* 14:3-12 (2004).
- Perevodchikova NI, Gorbacheva LB, Preobrazhenskaya MN: Aranoza. Treatment of melanoma, Nitrosourea. *DRUG FUTURE* 28:941-949 (2003).
- Poma A, Pittaluga E, Tucci A: Lead acetate genotoxicity on human melanoma cells in vitro. *MELANOMA RES* 13:563-566 (2003).
- Prasad ML, Patel SG, Huvos AG, Shah JP, Busam KJ: Primary mucosal melanoma of the head and neck - A proposal for microstaging localized, stage I (Lymph node-negative) tumors. *CANCER* 100:1657-1664 (2004).
- Rasmussen AB, Zocca MB, Bonefeld CM, vonEssen M, Lauritsen JPH, Tomra S, Odum N, Geisler C: Proteasomal targeting and minigene repetition improve cell-surface presentation of a transfected, modified melanoma tumour antigen. *SCAND J IMMUNOL* 59:220-227 (2004).
- Rawat SS, Eaton J, Gallo SA, Martin TD, Ablan S, Ratnayake S, Viard M, KewalRamani VN, Wang JM, Blumenthal R, Puri A: Functional expression of CD4, CXCR4, and CCR5 in glycosphingolipid-deficient mouse melanoma GM95 cells and susceptibility to HIV-1 envelope glycoprotein-triggered membrane fusion. *VIROLOGY* 318:55-65 (2004).
- Redondo P, Boán JF: Lymph node false-positive FDG-PET after recent surgery in primary melanoma. *ACTA DERMATO VENEREOL* 84:84-85 (2004).
- Reifenberger J, Knobbe CB, Sterzinger AA, Blaschke B, Schulte KW, Ruzicka T, Reifenberger G: Frequent alterations of Ras signaling pathway genes in sporadic malignant melanomas. *INT J CANCER* 109:377-384 (2004).
- Reynier P, Briane D, Coudert R, Fadda G, Bouchemal N, Bissieres P, Taillandier E, Cao A: Modifications in the head group and in the spacer of cholesterol-based cationic lipids promote transfection in melanoma B16-F10 cells and tumours. *J DRUG TARGETING* 12:25-38 (2004).
- Riedlinger G, Kridel S, Al Housseini AM, Brow JM, Bugge TH, Leppla SH, Duesbery N, VandeWoude G, Frankel A: Metastatic melanoma and matrix metalloproteinases. *DRUG FUTURE* 28:897-904 (2003).
- Rivers JK: Is there more than one road to melanoma? *LANCET* 363:728-730 (2004).

- Rixe O, Khayat D: Surgical margins in cutaneous melanoma (2 cm versus 5 cm for lesions measuring less than 2.1-mm thick) - Reply. *CANCER* 100:434 (2004).
- Rozen S, Nahabedian MY: Melanoma and decorative tattoos: Is a black sentinel lymph node unequivocally metastatic? *PLAST RECONSTR SURG* 113:1304-1307 (2004).
- Sarris M, Scolyer RA, Konopka M, Thompson JF, Harper CG, Lee SC: Cytoplasmic expression of nm23 predicts the potential for cerebral metastasis in patients with primary cutaneous melanoma. *MELANOMA RES* 14:23-27 (2004).
- Schmollinger JC, Dranoff G: Targeting melanoma inhibitor of apoptosis protein with cancer immunotherapy. *APOPTOSIS* 9:309-313 (2004).
- Sharkey MS, Lizée G, Gonzales MI, Patel S, Topalian SL: CD4(+) T-cell recognition of mutated B-RAF in melanoma patients harboring the V599E mutation. *CANCER RES* 64:1595-1599 (2004).
- Shields JD, Borsetti M, Rigby H, Harper SJ, Mortimer PS, Levick JR, Orlando A, Bates DO: Lymphatic density and metastatic spread in human malignant melanoma. *BRIT J CANCER* 90:693-700 (2004).
- Smith M, McKenna DB: Coexistent primary choroidal and cutaneous melanoma. *ACTA DERMATO VENEREOL* 84:172-NIL (2004).
- Sosman JA, Weeraratna AT, Sondak VK: When will melanoma vaccines be proven effective? *J CLIN ONCOL* 22:387-389 (2004).
- Soufir N, Lacapere JJ, Bertrand G, Matichard E, Meziani R, Mirebeau D, Descamps V, Gérard B, Archimbaud A, Ollivaud L, Bouscarat F, Baccard M, Lanternier G, Saïag P, Lebbé C, Basset-Seguín N, Crickx B, Cave H, Grandchamp B: Germline mutations of the INK4a-ARF gene in patients with suspected genetic predisposition to melanoma. *BRIT J CANCER* 90:503-509 (2004).
- Steege PS: Metastasis suppressor genes - art. no. E4. *J NAT CANCER INST* 96:E4 (2004).
- Stoitchkov K, Letellier S, Garnier JP, Bousquet B, Tsankov N, Morel P, Ghanem G, LeBricon T: Evaluation of the serum L-dopa/L-tyrosine ratio as a melanoma marker. *MELANOMA RES* 13:587-593 (2003).
- Su LD, Fullen DR, Lowe L, Wang TS, Schwartz JL, Cimmino VM, Sondak VK, Johnson TM: Desmoplastic and neurotropic melanoma - Analysis of 33 patients with lymphatic mapping and sentinel lymph node biopsy. *CANCER* 100:598-604 (2004).
- Su YB, Sohn S, Krown SE, Livingston PO, Wolchok JD, Quinn C, Williams L, Foster T, Sepkowitz KA, Chapman PB: Selective CD4(+) lymphopenia in melanoma patients treated with temozolomide: A toxicity with therapeutic implications. *J CLIN ONCOL* 22:610-616 (2004).
- Takenaka Y, Fukumori T, Raz A: Galectin-3 and metastasis. *GLYCOCONJUGATE J* 19:543-549 (2002).
- Taktak AFG, Fisher AC, Damato BE: Modelling survival after treatment of intraocular melanoma using artificial neural networks and Bayes theorem. *PHYS MED BIOL* 49:87-98 (2004).
- Tarhini AA, Agarwala SS: Management of brain metastases, in patients with melanoma. *CURR OPIN ONCOL* 16:161-166 (2004).
- Thomas JM, Newton-Bishop J, A'Hern R, Coombes G, Timmons M, Evans J, Cook M, Theaker J, Fallowfield M, O'Neill T, Ruka W, Bliss JM: Excision margins in high-risk malignant melanoma. *N ENGL J MED* 350:757-766 (2004).
- Tímár J, Udvarhelyi N, Bánfalvi T, Gilde K, Orosz Z: Accuracy of the determination of S100B protein expression in malignant melanoma using polyclonal or monoclonal antibodies. *HISTOPATHOLOGY* 44:180-184 (2004).
- Tsao H, Goel V, Wu H, Yang G, Haluska FG: Genetic interaction between NRAS and BRAF mutations and PTEN/MMAC1 inactivation in melanoma. *J INVEST DERMATOL* 122:337-341 (2004).
- Tsao H, Sober AJ, Niendorf KB, Zembowicz A: Case 6-2004: A 48-year-old woman with multiple pigmented lesions and a personal and family history of melanoma - Hereditary melanoma with a deleterious CDKN2A mutation. *N ENGL J MED* 350:924-932 (2004).
- Tsoncheva VL, Milchev GI: Delayed reproductive death and ROS levels in the progeny of irradiated melanoma cells. *Z NATURFORSCH C* 59:297-301 (2004).

- Valencak J, Heere-Ress E, Kopp T, Schoppmann SF, Kittler H, Pehamberger H: Selective immunohistochemical staining shows significant prognostic influence of lymphatic and blood vessels in patients with malignant melanoma. *EUR J CANCER* 40:358-364 (2004).
- Vodovozova EL, Nazarova AI, Feofanov AV, Kholodenko RV, Pazygina GV, Gaenko GP, Bovin NV, Molotkovsky JG: Interaction of Liposomes bearing carbohydrate determinants with melanoma cells. *BIOL MEMBRANY* 21:53-64 (2004).
- Wacheck V, Losert D, Günsberg P, Vornlocher HP, Hadwiger P, Geick A, Pehamberger H, Müller M, Jansen B: Small interfering RNA targeting Bcl-2 sensitizes malignant melanoma. *OLIGONUCLEOTIDES* 13:393-400 (2003).
- Wang ZQ, Dooley TP, Curto EV, Davis RL, Vandeberg JL: Cross-species application of cDNA microarrays to profile gene expression using UV-induced melanoma in *Monodelphis domestica* as the model system. *GENOMICS* 83:588-599 (2004).
- Waterston AM, Salway F, Andreakos E, Butler DM, Feldmann M, Coombes RC: TNF autovaccination induces self anti-TNF antibodies and inhibits metastasis in a murine melanoma model. *BRIT J CANCER* 90:1279-1284 (2004).
- Wechter ME, Gruber SB, Haefner HK, Lowe L, Schwartz JL, Reynolds KR, Johnston CM, Johnson TM: Vulvar melanoma: A report of 20 cases and review of the literature. *J AMER ACAD DERMATOL* 50:554-562 (2004).
- Weeraratna AT, Becker D, Carr KM, Duray PH, Rosenblatt KP, Yang S, Chen YD, Bittner M, Strausberg RL, Riggins GJ, Wagner U, Kallioniemi OP, Trent JM, Morin PJ, Meltzer PS: Generation and analysis of melanoma SAGE libraries: SAGE advice on the melanoma transcriptome. *ONCOGENE* 23:2264-2274 (2004).
- Whitehead RP, Moon J, McCachren SS, Hersh EM, Samlowski WE, Beck JT, Tchekmedyian NS, Sondak VK: A phase II trial of vinorelbine tartrate in patients with disseminated malignant melanoma and one prior systemic therapy - A Southwest Oncology Group Study. *CANCER* 100:1699-1704 (2004).
- Wong SL, Coit DG: Role of surgery in patients with stage IV melanoma. *CURR OPIN ONCOL* 16:155-160 (2004).
- Woodward J, Sisley K, Reeves G, Nichols C, Parsons MA, Mudhar H, Rennie I: Evidence of macrophage and lymphocyte, but not dendritic cell, infiltration in posterior uveal melanomas, whilst cultured uveal melanomas demonstrate pluripotency by expressing CD68 and CD163. *INT J EXP PATHOL* 85:35-43 (2004).
- Wu GJ, Peng Q, Fu PP, Wang SW, Chiang CF, Dillehay DL, Wu MWH: Ectopical expression of human MUC18 increases metastasis of human prostate cancer cells. *GENE* 327:201-213 (2004).
- Wu Z, Wu LJ, Li LH, Tashiro S, Onodera S, Ikejima T: p53-mediated cell cycle arrest and apoptosis induced by shikonin via a caspase-9-dependent mechanism in human malignant melanoma A375-S2 cells. *J PHARMACOL SCI* 94:166-176 (2004).
- Xie TX, Wei DY, Liu MG, Gao AC, Ali-Osman F, Sawaya R, Huang SY: Stat3 activation regulates the expression of matrix metalloproteinase-2 and tumor invasion and metastasis. *ONCOGENE* 23:3550-3560 (2004).
- Xu DP, Gu PD, Pan PY, Li QS, Sato AI, Chen SH: NK and CD8(+) T cell-mediated eradication of poorly immunogenic B16-F10 melanoma by the combined action of IL-12 gene therapy and 4-1BB costimulation. *INT J CANCER* 109:499-506 (2004).
- Yang SL, Yang Y, Raycraft J, Zhang HT, Kanan S, Guo YJ, Ronai Z, Hellstrom I, Hellstrom KE: Melanoma cells transfected to express CD83 induce antitumor immunity that can be increased by also engaging CD137. *PROC NAT ACAD SCI USA* 101:4990-4995 (2004).
- Zalaudek I, Leinweber B, Richtig E, Smolle J, Hofmann-Wellenhof R: Cutaneous zosteriform melanoma metastases arising after herpes zoster infection: a case report and review of the literature. *MELANOMA RES* 13:635-639 (2003).

- Zaldivar RA, Aaberg TM, Sternberg P, Waldron RG, Grossniklaus HE: Clinicopathologic findings in choroidal melanomas after failed transpupillary thermotherapy - Authors reply. *AMER J OPHTHALMOL* 137:595-596 (2004).
- Zamboni WC, Gervais AC, Egorin MJ, Schellens JHM, Zuhowski EG, Pluim D, Joseph E, Hamburger DR, Working PK, Colbern G, Tonda ME, Potter DM, Eiseman JL: Systemic and tumor disposition of platinum after administration of cisplatin or STEALTH liposomal-cisplatin formulations (SPI-077 and SPI-077B103) in a preclinical tumor model of melanoma. *CANCER CHEMOTHER PHARMACOL* 53:329-336 (2004).
- Zhang WY, Wang Y, Hou YY: Effects of Chinese medicinal fungus water extract on tumor metastasis and some parameters of immune function. *INT IMMUNOPHARMACOL* 4:461-468 (2004).
- Zhang XD, Gillespie SK, Hersey P: Staurosporine induces apoptosis of melanoma by both caspase-dependent and -independent apoptotic pathways. *MOL CANCER THER* 3:187-197 (2004).
- Zhang XD, Gillespie SK, Borrow JM, Hersey P: The histone deacetylase inhibitor suberic bishydroxamate regulates the expression of multiple apoptotic mediators and induces mitochondria-dependent apoptosis of melanoma cells. *MOL CANCER THER* 3:425-435 (2004).
- Zimmermann VS, Bondanza A, Monno A, Rovere-Querini P, Corti A, Manfredi AA: TNF- $\alpha$  coupled to membrane of apoptotic cells favors the cross-priming to melanoma antigens. *J IMMUNOL* 172:2643-2650 (2004).
- Zippelius A, Batard P, Rubio-Godoy V, Bioley G, Liénard D, Lejeune F, Rimoldi D, Guillaume P, Meidenbauer N, Mackensen A, Rufer N, Lubenow N, Speiser D, Cerottini JC, Romero P, Pittet MJ: Effector function of human tumor-specific CD8 T cells in melanoma lesions: A state of local functional tolerance. *CANCER RES* 64:2865-2873 (2004).
- Zubovits J, Buzney E, Yu L, Duncan LM: HMB-45, S-100, NK1/C3, and MART-1 in metastatic melanoma. *HUM PATHOL* 35:217-223 (2004).

### **MSH, POMC, GROWTH FACTORS & RECEPTORS**

- Abe R, Shimizu T, Sugawara H, Watanabe H, Nakamura H, Choei H, Sasaki N, Yamagishi SI, Takeuchi M, Shimizu H: Regulation of human melanoma growth and metastasis by AGE-AGE receptor interactions. *J INVEST DERMATOL* 122:461-467 (2004).
- Baral R, Chattopadhyay U: Neem (*Azadirachta indica*) leaf mediated immune activation causes prophylactic growth inhibition of murine Ehrlich carcinoma and B16 melanoma. *INT IMMUNOPHARMACOL* 4:355-366 (2004).
- Berking C, Takemoto R, Satyamoorthy K, Shirakawa T, Eskandarpour M, Hansson J, VanBelle PA, Elder DE, Herlyn M: Induction of melanoma phenotypes in human skin by growth factors and ultraviolet B. *CANCER RES* 64:807-811 (2004).
- Bhoomik A, Jones N, Ronai Z: Transcriptional switch by activating transcription factor 2-derived peptide sensitizes melanoma cells to apoptosis and inhibits their tumorigenicity. *PROC NAT ACAD SCI USA* 101:4222-4227 (2004).
- Böhm M, Raghunath M, Sunderkötter C, Schiller M, Ständer S, Brzoska T, Cauvet T, Schiöth HB, Schwarz T, Luger TA: Collagen metabolism is a novel target of the neuropeptide  $\alpha$ -melanocyte-stimulating hormone. *J BIOL CHEM* 279:6959-6966 (2004).
- Calcabrini A, Stringaro A, Toccaceli L, Meschini S, Marra M, Colone M, Salvatore G, Mondello F, Arancia G, Molinari A: Terpinen-4-ol, the main component of *Melaleuca alternifolia* (Tea tree) oil inhibits the in vitro growth of human melanoma cells. *J INVEST DERMATOL* 122:349-360 (2004).
- Cheng Z, Chen JQ, Quinn TP, Jurisson SS: Radioiodination of rhenium cyclized  $\alpha$ -melanocyte-stimulating hormone resulting in enhanced radioactivity localization and retention in melanoma. *CANCER RES* 64:1411-1418 (2004).
- D'Alessio S, Margheri F, Pucci M, DelRosso A, Monia BP, Bologna M, Leonetti C, Scarsella M, Zupi G, Fibbi G, DelRosso M: Antisense oligodeoxynucleotides for urokinase-plasminogen activator receptor have anti-



- invasive and anti-proliferative effects in vitro and inhibit spontaneous metastases of human melanoma in mice. *INT J CANCER* 110:125-133 (2004).
- Elliott RJ, Szabo M, Wagner MJ, Kemp EH, MacNeil S, Haycock JW:  $\alpha\delta$ -melanocyte-stimulating hormone, MSH 11-13 KPV and adrenocorticotrophic hormone signalling in human keratinocyte cells. *J INVEST DERMATOL* 122:1010-1019 (2004).
- Furuhashi M, Sjöblom T, Abramsson A, Ellingsen J, Micke P, Li H, Bergsten-Folestad E, Eriksson U, Heuchel R, Betsholtz C, Heldin CH, Östman A: Platelet-derived growth factor production by B16 melanoma cells leads to increased pericyte abundance in tumors and an associated increase in tumor growth rate. *CANCER RES* 64:2725-2733 (2004).
- Goodall J, Wellbrock C, Dexter TJ, Roberts K, Marais R, Goding CR: The Brn-2 transcription factor links activated BRAF to melanoma proliferation. *MOL CELL BIOL* 24:2923-2931 (2004).
- Han GX, Haskell-Luevano C, Kendall L, Bonner G, Hadley ME, Cone RD, Hruby VJ: De novo design, synthesis, and pharmacology of  $\alpha\delta$  -melanocyte stimulating hormone analogues derived from somatostatin by a hybrid approach. *J MED CHEM* 47:1514-1526 (2004).
- Holder JR, Haskell-Luevano C: Melanocortin ligands: 30 years of structure-activity relationship (SAR) studies. *MED RES REV* 24:325-356 (2004).
- Isoldi MC, Benabou MHD, Schumacher RI, Góis CC, Scarparo AC, Rebouças NA, Visconti MA: Mechanisms of action of melanin-concentrating hormone in the teleost fish erythrophoroma cell line (GEM-81). *GEN COMP ENDOCRINOL* 136:270-275 (2004).
- Joseph CG, Wilczynski A, Holder JR, Xiang ZM, Bauzo RM, Scott JW, Haskell-Luevano C: Chimeric NDP-MSH and MTII melanocortin peptides with agouti-related protein (AGRP) Arg-Phe-Phe amino acids possess agonist melanocortin receptor activity. *PEPTIDES* 24:1899-1908 (2003).
- Kadekaro AL, Andrade LNS, Floeter-Winter LM, Rollag MD, Virador V, Vieira W, Castrucci AMD: MT-1 melatonin receptor expression increases the antiproliferative effect of melatonin on S-91 murine melanoma cells. *J PINEAL RES* 36:204-211 (2004).
- Kortylewski M, Komyod W, Kauffmann ME, Bosserhoff A, Heinrich PC, Behrmann I: Interferon- $\gamma$ -mediated growth regulation of melanoma cells: Involvement of STAT1-dependent and STAT1-independent signals. *J INVEST DERMATOL* 122:414-422 (2004).
- Krasil'nikov MA, Luzai EV, Scherbakov AM, Shatskaya VA, Shtil AA, Gershtein ES: Role of phosphatidylinositol-3 kinase in regulation of differential sensitivity of melanoma cells to antitumor agents. A model for hormone resistance development in tumor cells. *BIOCHEMISTRY ENGL TR* 69:322-330 (2004).
- Lev DC, Bar-Eli M: Correspondence re: DC Lev et al., Dacarbazine causes transcriptional up-regulation of interleukin 8 and vascular endothelial growth factor in melanoma cells: A possible escape mechanism from chemotherapy. *Mol Cancer Ther*, 2003;2(8):753-63. Reply. *MOL CANCER THER* 3:383-384 (2004).
- MacKie RM, Bray CA: Hormone replacement therapy after surgery for stage 1 or 2 cutaneous melanoma. *BRIT J CANCER* 90:770-772 (2004).
- Matichard E, Verpillat P, Meziani R, Gérard B, Descamps V, Legroux E, Burnouf M, Bertrand G, Bouscarat F, Archimbaud A, Picard C, Ollivaud L, Basset-Seguín N, Kerob D, Lanternier G, Lebbe C, Crickx B, Grandchamp B, Soufir N: Melanocortin 1 receptor (MC1R) gene variants may increase the risk of melanoma in France independently of clinical risk factors and UV exposure - art. no. e13. *J MED GENET* 41:E13 (2004).
- McGary EC, Onn A, Mills L, Heimberger A, Eton O, Thomas GW, Shtivelband M, Bar-Eli M: Imatinib mesylate inhibits platelet-derived growth factor receptor phosphorylation of melanoma cells but does not affect tumorigenicity in vivo. *J INVEST DERMATOL* 122:400-405 (2004).
- Nikkola J, Vihinen P, Vlaykova T, Hahka-Kemppinen M, Heino J, Pyrhönen S: Integrin chains  $\beta 1$  and  $\alpha 5$  as prognostic factors in human metastatic melanoma. *MELANOMA RES* 14:29-37 (2004).
- Ozen M, Medreano EE, Ittmann M: Inhibition of proliferation and survival of melanoma cells by adenoviral-mediated expression of dominant negative fibroblast growth factor receptor. *MELANOMA RES* 14:13-21 (2004).

- Ramesh R: Melanoma differentiation-associated gene 7/interleukin (IL)-24 is a novel ligand that regulates angiogenesis via the IL-22 receptor (vol 64, pg 5105, 2003). *CANCER RES* 64:1559 (2004).
- Schiller M, Brzoska T, Böhm M, Metze D, Scholzen TE, Rougier A, Luger TA: Solar-simulated ultraviolet radiation-induced upregulation of the melanocortin-1 receptor, proopiomelanocortin, and  $\alpha$ -melanocyte-stimulating hormone in human epidermis in vivo. *J INVEST DERMATOL* 122:468-476 (2004).
- Urso C: Are growth phases exclusive to cutaneous melanoma? *J CLIN PATHOL* 57:560 (2004).
- Verra NCV, Jorritsma A, Weijer K, Ruizendaal JJ, Voordouw A, Weder P, Hooijberg E, Schumacher TNM, Haanen JBAG, Spits H, Luiten RM: Human telomerase reverse transcriptase-transduced human cytotoxic T cells suppress the growth of human melanoma in immunodeficient mice. *CANCER RES* 64:2153-2161 (2004).
- Zhang XY, Zhang XD, Borrow JM, Nguyen T, Hersey P: Translational control of tumor necrosis factor-related apoptosis-inducing ligand death receptor expression in melanoma cells. *J BIOL CHEM* 279:10606-10614 (2004).
- Zhu N, Lalla R, Eves P, Brown TL, King A, Kemp EH, Haycock JW, MacNeil S: Melanoma cell migration is upregulated by tumour necrosis factor- $\alpha$  and suppressed by  $\alpha$ -melanocyte-stimulating hormone. *BRIT J CANCER* 90:1457-1463 (2004).

### DEVELOPMENTAL BIOLOGY

- Bagnato A, Rosanò L, Spinella F, DiCastro V, Tecce R, Natali PG: Endothelin B receptor blockade inhibits dynamics of cell interactions and communications in melanoma cell progression. *CANCER RES* 64:1436-1443 (2004).
- Blum A, Bauer J: Atypical dermatofibroma-like pattern of a melanoma on dermoscopy. *MELANOMA RES* 13:633-634 (2003).
- Cordova A, Moschella F: Evaluation of nodal patterns for melanoma of the ear. *PLAST RECONSTR SURG* 113:1528 (2004).
- Evans GRD: Evaluation of nodal patterns for melanoma of the ear - Reply. *PLAST RECONSTR SURG* 113:1529 (2004).
- Ferrari A, Piccolo D, Fagnoli MC, Biamonte AS, Peris K: Cutaneous amelanotic melanoma metastasis and dermatofibromas showing a dotted vascular pattern. *ACTA DERMATO VENEREOL* 84:164-165 (2004).
- Maini PK: Using mathematical models to help understand biological pattern formation. *C R BIOL* 327:225-234 (2004).
- Milewski RC, Chi NC, Li J, Brown C, Lu MM, Epstein JA: Identification of minimal enhancer elements sufficient for Pax3 expression in neural crest and implication of Tead2 as a regulator of Pax3. *DEVELOPMENT* 131:829-837 (2004).
- Potti A, Moazzam N, Langness E, Sholes K, Tendulkar K, Koch M, Kargas S: Immunohistochemical determination of HER-2/neu, c-Kit (CD117), and vascular endothelial growth factor (VEGF) overexpression in malignant melanoma. *J CANCER RES CLIN ONCOL* 130:80-86 (2004).
- Spritz RA, Itin PH, Gutmann DH: Piebaldism and neurofibromatosis type 1: Horses of very different colors. *J INVEST DERMATOL* 122:XXXIV-XXXXV (2004).
- Tuomaala S, Kivelä T: Metastatic pattern and survival in disseminated conjunctival melanoma - Implications for sentinel lymph node biopsy. *OPHTHALMOLOGY* 111:816-821 (2004).

### DIFFERENTIATION

- Borojerdi SS, Haghbeen K, Karkhane AA, Fazli M, Saboury AA: Successful resonance Raman study of cresolase activity of mushroom tyrosinase. *BIOCHEM BIOPHYS RES COMMUN* 314:925-930 (2004).
- Casella L, Granata A, Monzani E, Pievo R, Pattarello L, Bubacco L: New aspects of the reactivity of tyrosinase. *MICRON* 35:141-142 (2004).

- Cerenius L, Söderhäll K: The prophenoloxidase-activating system in invertebrates. *IMMUNOL REV* 198:116-126 (2004).
- Cytrynbaum EN, Rodionov V, Mogilner A: Computational model of dynein-dependent self-organization of microtubule asters. *J CELL SCI* 117:1381-1397 (2004).
- DiPietro SM, Falcón-Pérez JM, Dell'Angelica EC: Characterization of BLOC-2, a complex containing the Hermansky-Pudlak syndrome proteins HPS3, HPS5 and HPS6. *TRAFFIC* 5:276-283 (2004).
- Fan Y, Flurkey WH: Purification and characterization of tyrosinase from gill tissue of *Portabella* mushrooms. *PHYTOCHEMISTRY* 65:671-678 (2004).
- Frank DJ, Noguchi T, Miller KG: Myosin VI: a structural role in actin organization important for protein and organelle localization and trafficking. *CURR OPIN CELL BIOL* 16:189-194 (2004).
- Fukuda M, Kanno E, Yamamoto A: Rabphilin and Noc2 are recruited to dense-core vesicles through specific interaction with Rab27A in PC12 cells. *J BIOL CHEM* 279:13065-13075 (2004).
- Fukuda M, Kuroda TS: Missense mutations in the globular tail of myosin-Va in dilute mice partially impair binding of Slac2-a/melanophilin. *J CELL SCI* 117:583-591 (2004).
- Gautam R, Chintala S, Li W, Zhang Q, Tan J, Novak EK, DiPietro SM, Dell'Angelica EC, Swank RT: The Hermansky-Pudlak syndrome 3 (cocoa) protein is a component of the biogenesis of lysosome-related organelles complex-2 (BLOC-2). *J BIOL CHEM* 279:12935-12942 (2004).
- Hansdóttir AG, Pálsdóttir K, Favor J, Neuhäuser-Klaus A, Fuchs H, deAngelis MH, Steingrímsson E: The novel mouse microphthalmia mutations *Mitf* (*mi-enu5*) and *Mitf* (*mi-bcc2*) produce dominant negative *Mitf* proteins. *GENOMICS* 83:932-935 (2004).
- Hershey CL, Fisher DE: *Mitf* and *Tfe3*: members of a b-HLH-ZIP transcription factor family essential for osteoclast development and function. *BONE* 34:689-696 (2004).
- Iida A, Inagaki H, Suzuki M, Wakamatsu Y, Hori H, Koga A: The tyrosinase gene of the *i(b)* albino mutant of the medaka fish carries a transposable element insertion in the promoter region. *PIGM CELL RES* 17:158-164 (2004).
- Immesberger A, Burmester T: Putative phenoloxidases in the tunicate *Ciona intestinalis* and the origin of the arthropod hemocyanin superfamily. *J COMP PHYSIOL B* 174:169-180 (2004).
- Inagaki K, Suzuki T, Shimizu H, Ishii N, Umezawa Y, Tada J, Kikuchi N, Takata M, Takamori K, Kishibe M, Tanaka M, Miyamura Y, Ito S, Tomita Y: Oculocutaneous albinism type 4 is one of the most common types of albinism in Japan. *AMER J HUM GENET* 74:466-471 (2004).
- Izumi T, Gomi H, Kasai K, Mizutani S, Torii S: The roles of Rab27 and its effectors in the regulated secretory pathways. *CELL STRUCT FUNCT* 28:465-474 (2003).
- Jaenicke E, Decker H: Conversion of crustacean hemocyanin to catecholoxidase. *MICRON* 35:89-90 (2004).
- Jung JH, Choi SW, Han S: Indirect oxidation of 6-tetrahydrobiopterin by tyrosinase. *BIOCHEM BIOPHYS RES COMMUN* 314:937-942 (2004).
- Kim YJ, Chung JE, Kurisawa M, Uyama H, Kobayashi S: New tyrosinase inhibitors, (+)-catechin-aldehyde polycondensates. *BIOMACROMOLECULES* 5:474-479 (2004).
- Kohashi PY, Kumagai T, Matoba Y, Yamamoto A, Maruyama M, Sugiyama M: An efficient method for the overexpression and purification of active tyrosinase from *Streptomyces castaneoglobisporus*. *PROTEIN EXPRESS PURIF* 34:202-207 (2004).
- Komori K, Yatagai K, Tatsuma T: Activity regulation of tyrosinase by using photoisomerizable inhibitors. *J BIOTECHNOL* 108:11-16 (2004).
- Kumasaka M, Sato H, Sato S, Yajima I, Yamamoto H: Isolation and developmental expression of *Mitf* in *Xenopus laevis*. *DEVELOP DYNAM* 230:107-113 (2004).
- Land EJ, Ramsden CA, Riley PA, Yoganathan G: Mechanistic studies of catechol generation from secondary quinone amines relevant to indole formation and tyrosinase activation (vol 16, pg 397, 2003). *PIGM CELL RES* 17:206 (2004).
- Möller A, Eysteinnsson T, Steingrímsson E: Electroretinographic assessment of retinal function in microphthalmia mutant mice. *EXP EYE RES* 78:837-848 (2004).

- Müller WEG, Perovic S, Schröder HC, Breter HJ: Oxygen as a morphogenic factor in sponges: expression of a tyrosinase gene in the sponge *Suberites domuncula*. *MICRON* 35:87-88 (2004).
- Nakatsu F, Ohno H: Adaptor protein complexes as the key regulators of protein sorting in the post-Golgi network. *CELL STRUCT FUNCT* 28:419-429 (2003).
- Nihei K, Yamagiwa Y, Kamikawa T, Kubo I: 2-Hydroxy-4-isopropylbenzaldehyde, a potent partial tyrosinase inhibitor. *BIOORG MEDICINAL CHEM LETTER* 14:681-683 (2004).
- Pérez-Gilabert M, Morte A, García-Carmona F: Histochemical and biochemical evidences of the reversibility of tyrosinase activation by SDS. *PLANT SCI* 166:365-370 (2004).
- Ramakrishna V, Trembl JF, Vitale L, Connolly JE, O'Neill T, Smith PA, Jones CL, He LZ, Goldstein J, Wallace PK, Keler T, Endres MJ: Mannose receptor targeting of tumor antigen pmel17 to human dendritic cells directs anti-melanoma T cell responses via multiple HLA molecules. *J IMMUNOL* 172:2845-2852 (2004).
- Rundshagen U, Zühlke C, Opitz S, Schwinger E, Käsmann-Kellner B: Mutations in the MATP gene in five German patients affected by Oculocutaneous albinism type 4. *HUM MUTAT* 23:106-110 (2004).
- Schweikardt T, Jaenicke E, Decker H: Homology modelling of hemocyanins and tyrosinases: pitfalls in automated approaches. *MICRON* 35:97-98 (2004).
- Shipovskov S, Levashov A: Entrapping of tyrosinase in a system of reverse micelles. *BIOCATAL BIOTRANSFORM* 22:57-60 (2004).
- Tepper AWJW, Bubacco L, Canters GW: Stopped-flow fluorescence studies of inhibitor binding to tyrosinase from *Streptomyces antibioticus*. *J BIOL CHEM* 279:13425-13434 (2004).
- Terry RB, Archer S, Brooks S, Bernoco D, Bailey E: Assignment of the appaloosa coat colour gene (LP) to equine chromosome 1. *ANIM GENET* 35:134-137 (2004).
- Watabe H, Valencia JC, Yasumoto K, Kushimoto T, Ando H, Muller J, Vieira WD, Mizoguchi M, Appella E, Hearing VJ: Regulation of tyrosinase processing and trafficking by organellar pH and by proteasome activity. *J BIOL CHEM* 279:7971-7981 (2004).
- Yan SF, Brennick JB: False-positive rate of the immunoperoxidase stains for MART1/MelanA in lymph nodes. *AMER J SURG PATHOL* 28:596-600 (2004).
- Yu BL, Chang TMS: Effects of long-term oral administration of polymeric microcapsules containing tyrosinase on maintaining decreased systemic tyrosine levels in rats. *J PHARM SCI* 93:831-837 (2004).
- Zeigler-Johnson C, Panossian S, Gueye SM, Jalloh M, Ofori-Adjei D, Kanetsky PA: Population differences in the frequency of the Agouti signaling protein g.8818A>G polymorphism. *PIGM CELL RES* 17:185-187 (2004).

### MISCELLANEOUS

- Heck DE, Gerecke DR, Vetrano AM, Laskin JD: Solar ultraviolet radiation as a trigger of cell signal transduction. *TOXICOL APPL PHARMACOL* 195:288-297 (2004).
- Matsumura Y, Ananthaswamy HN: Toxic effects of ultraviolet radiation on the skin. *TOXICOL APPL PHARMACOL* 195:298-308 (2004).
- Rorsman H: The pigmented life of a redhead. *PIGM CELL RES* 17:191-202 (2004).
- Shigeta Y, Imanaka H, Ando H, Ryu A, Oku N, Baba N, Makino T: Skin whitening effect of linoleic acid is enhanced by liposomal formulations. *BIOL PHARM BULL* 27:591-594 (2004).
- Wulf HC, Sandby-Moller J, Kobayasi T, Gniadecki R: Skin aging and natural photoprotection. *MICRON* 35:185-191 (2004).